

RECEIVED

2026 FEB 24 AM 11:58

**CITY SECRETARY
DALLAS, TEXAS**

"



Public Notice

260197

CITY SECRETARY

POSTED DALLAS, TX

**LANDMARK COMMISSION
REGULAR MEETING**

**March 2, 2026, Briefing at 9:30 A.M. and the Public Hearing at 1:00 P.M.
Dallas City Hall, 6ES Briefing Room and Videoconference**

The Landmark Commission may be briefed on any item on the agenda.

The City of Dallas will make "Reasonable Accommodations" to programs and/or other related activities to ensure all residents have access to services and resources to ensure an equitable and inclusive meeting. Anyone requiring auxiliary aid, service, and/or translation to fully participate in the meeting should notify the Board Coordinator by calling (214) 670-4206 or TTY (800) 735-2989, *at least seventy-two (72) hours (3 days) in advance of the scheduled meeting*. A video stream of the meeting will be available two business days after adjournment by visiting <https://dallascityhall.com/government/Pages/Live.aspx>.

La Ciudad de Dallas llevará a cabo "Adaptaciones Razonables" a los programas y/u otras actividades relacionadas para garantizar que todos y cada uno de los residentes tengan acceso a los servicios y recursos para garantizar una reunión equitativa e inclusiva. Cualquier persona que necesite ayuda auxiliar, servicio y/o traducción para participar de forma plena en la reunión, debe notificar al Departamento llamando al (214) 670-1786 o TTY (800) 735-2989, *por lo menos setenta y dos (72) horas (3 días) antes de la reunión programada*. Una transmisión de video de la reunión estará disponible dos días hábiles luego del levantamiento de la reunión visitando <https://dallascityhall.com/government/Pages/Live.aspx>.

The public may listen to the meeting as an attendee at the following videoconference link:

<https://dallascityhall.webex.com/dallascityhall/j.php?MTID=m2a827deb00813df26e5402b5928d3450>

Meeting Number: 249 861 54238

Telephone: (408) 418-9388, Access Code: 249 861 54238

Password March26LMC (62724265 when dialing from a phone or video system)

(NOTE: IF THE LINK ABOVE DOES NOT WORK, COPY AND PASTE THE LINK IN YOUR WEB BROWSER)

Individuals and interested parties wishing to speak must register with the Historic Preservation office by emailing Phyllis.hill@dallas.gov one hour prior to the meeting date start time.

AGENDA

- I. **Call to Order** Evelyn Montgomery, Chair
- II. **Public Speakers**
- III. **Approval of Minutes**
 - February 2, 2026, Regular meeting minutes
- IV. **Reports and Briefing Items**
 - Designation Committee Activity Update Commissioner David Preziosi
- V. **Public Hearing**
 - Consent Items
 - Courtesy Review Items
 - Discussion Items
- VI. **Miscellaneous**
- VII. **Adjournment**

Handgun Prohibition Notice for Meetings of Governmental Entities

"Pursuant to Section 30.06, Penal Code (trespass by license holder with a concealed handgun), a person licensed under Subchapter H, Chapter 411, Government Code (handgun licensing law), may not enter this property with a concealed handgun."

"De acuerdo con la sección 30.06 del código penal (ingreso sin autorización de un titular de una licencia con una pistol oculta), una persona con licencia según el subcapítulo h, capítulo 411, código del gobierno (ley sobre licencias para portar pistolas), no puede ingresar a esta propiedad con una pistola oculta."

"Pursuant to Section 30.07, Penal Code (trespass by license holder with an openly carried handgun), a person licensed under Subchapter H, Chapter 411, Government Code (handgun licensing law), may not enter this property with a handgun that is carried openly."

"De acuerdo con la sección 30.07 del código penal (ingreso sin autorización de un titular de una licencia con una pistola a la vista), una persona con licencia según el subcapítulo h, capítulo 411, código del gobierno (ley sobre licencias para portar pistolas), no puede ingresar a esta propiedad con una pistola a la vista."

"Pursuant to Section 46.03, Penal Code (places prohibited), a person may not carry a firearm or other weapon into any open meeting on this property."

"De conformidad con la Sección 46.03, Código Penal (coloca armas prohibidas), una persona no puede llevar un arma de fuego u otra arma a ninguna reunión abierta en esta propiedad."

EXECUTIVE SESSION NOTICE

A closed executive session may be held if the discussion of any of the above agenda items concerns one of the following:

1. seeking the advice of its attorney about pending or contemplated litigation, settlement offers, or any matter in which the duty of the attorney to the City Council under the Texas Disciplinary Rules of Professional Conduct of the State Bar of Texas clearly conflicts with the Texas Open Meetings Act. [Tex. Govt. Code § 551.071]
2. deliberating the purchase, exchange, lease, or value of real property if deliberation in an open meeting would have a detrimental effect on the position of the city in negotiations with a third person. [Tex. Govt. Code § 551.072]
3. deliberating a negotiated contract for a prospective gift or donation to the city if deliberation in an open meeting would have a detrimental effect on the position of the city in negotiations with a third person. [Tex. Govt. Code § 551.073]
4. deliberating the appointment, employment, evaluation, reassignment, duties, discipline, or dismissal of a public officer or employee; or to hear a complaint or charge against an officer or employee unless the officer or employee who is the subject of the deliberation or hearing requests a public hearing. [Tex. Govt. Code § 551.074]
5. deliberating the deployment, or specific occasions for implementation, of security personnel or devices. [Tex. Govt. Code § 551.076]
6. discussing or deliberating commercial or financial information that the city has received from a business prospect that the city seeks to have locate, stay or expand in or near the city and with which the city is conducting economic development negotiations; or deliberating the offer of a financial or other incentive to a business prospect. [Tex Govt. Code § 551.087]
7. deliberating security assessments or deployments relating to information resources technology, network security information, or the deployment or specific occasions for implementations of security personnel, critical infrastructure, or security devices. [Tex. Govt. Code § 551.089]
8. deliberating cybersecurity measures, policies, or contracts solely intended to protect a critical infrastructure facility. [Tex. Gov't Code § 551.0761]

CONSENT AGENDA

1. 5507 TREMONT STREET

Junius Heights Historic District
CE256-010(CP)
Christina Paress

Request

A Certificate of Eligibility (CE) for a tax exemption on 100 percent of land and improvements for a period of ten years and approval of an estimated \$243,788.00 in expenditures to be spent on rehabilitation prior to the issuance of the Certificate of Eligibility.

Applicant Kevin and Melissa Malonson

Application Filed 2/10/2026

Staff Recommendation

That the Certificate of Eligibility and an estimated \$243,788.00 in expenditures to be spent on rehabilitation prior to the issuance of the Certificate of Eligibility be **approved**.

2. 1208 E. 10th STREET

Tenth Street Historic District
CE256-011(CP)
Christina Paress

Request

A Certificate of Eligibility (CE) for a tax exemption on 100 percent of land and improvements for a period of ten years and approval of an estimated \$51,274.00 in expenditures to be spent on rehabilitation prior to the issuance of the Certificate of Eligibility.

Applicant buildingcommunityWORKSHOP

Application Filed 1/16/2026

Staff Recommendation

That the Certificate of Eligibility and an estimated \$51,274.00 in expenditures to be spent on rehabilitation prior to the issuance of the Certificate of Eligibility be **approved**.

3. 725 N. GLASGOW DRIVE

Junius Heights Historic District
COA-26-000049
Christina Paress

Request

A Certificate of Appropriateness to replace deteriorated front door.

Applicant Mark Patterson

Application Filed January 30, 2026

Staff Recommendation

That the request for a Certificate of Appropriateness to replace deteriorated front door be **approved** in accordance with specifications dated 3/3/2026. The proposed work is consistent

with preservation criteria Section 5.1; City Code Section 51A-4.501(d)(5)(B)(ii) for **noncontributing** structures; and/or the Secretary of the Interior's Guidelines for Rehabilitation (District/Neighborhood).

Task Force Recommendation

That the request for a Certificate of Appropriateness to replace deteriorated front door be **approved** per Section 5.1 of the ordinance. Opposing vote notes that doors will not match if only one is changed, the existing door is typical of many homes in Junius Heights, and door can be rebuilt instead of replaced.

4. 4315 JUNIUS STREET

Peak's Suburban Addition Historic District
COA-26-000052
Christina Paress

Request

A Certificate of Appropriateness to plant two (2) trees in the front yard.

Applicant Aaron Trecartin

Application Filed February 10, 2026

Staff Recommendation

That the request for a Certificate of Appropriateness to plant two trees in the front yard be **approved** in accordance with specifications dated 3/2/2026. The proposed work is consistent with preservation criteria Section 2.6; City Code Section 51A-4.501(d)(5)(B)(ii) for **noncontributing** structures; and/or the Secretary of the Interior's Guidelines for Setting (District/Neighborhood).

Task Force Recommendation

That the request for a Certificate of Appropriateness to plant two (2) trees in the front yard be **approved**. The Task Force approves the tree selection of Cedar Elm and Ginko Bilboa, with a strong recommendation that the Ginko be replaced with Chinkopin Oak or Lacey Oak given their preferable canopy size relative to the size of this lot.

5. 304 S. FLEMING AVENUE

Tenth Street Historic District
COA-26-000033
Rhonda Dunn

Request

A Certificate of Appropriateness to construct a new accessory structure – a rear detached two-car garage.

Applicant George Sosa

Application Filed 1/26/2026

Staff Recommendation

That the request for a Certificate of Appropriateness to construct a new accessory structure – a rear detached two-car garage be **approved** in accordance with drawings and specifications dated 1/26/2026. The proposed work is consistent with preservation criteria Sections (a), (b) and

(c) under Accessory Buildings; the standards in City Code Section 51A-4.501(g)(6)(C)(ii) for **noncontributing** structures; and the Secretary of the Interior's Guidelines for Setting (District/Neighborhood).

Task Force Recommendation

No quorum – Comments only. Supportive, with the following comment(s):

1. Make sure to include your Material Schedule/Sheet.
2. Is a rear two-car garage sufficient for a duplex?

6. 105 N. WILLOMET AVENUE

Winnetka Heights Historic District
COA-26-000019
Christina Paress

Request

A Certificate of Appropriateness to replace existing fence with new board on board wood fence.

Applicant Steven Sykes

Application Filed December 12, 2025

Staff Recommendation

That the request for a Certificate of Appropriateness to replace existing fence with new board on board wood fence be **approved with the condition** that the pedestrian gate/fence return to the building be at the rear of the side “bump out” on the north side of the main house. Implementation of the condition would allow the proposed work to be consistent with preservation criteria Sec. 51P-87.111(b)(2); City Code Section 51A-4.501(d)(5)(B)(i) for contributing structures; and/or the Secretary of the Interior’s Guidelines for Setting (District/Neighborhood).

Task Force Recommendation

That the request for a Certificate of Appropriateness to replace existing fence with new board on board wood fence be **denied without prejudice**: Need site plan of professional survey and pictures of the proposed gates. Uncertain as to what the photos are indicating.

7. 307 N. WILLOMET AVENUE

Winnetka Heights Historic District
COA-26-000016
Christina Paress

Request

A Certificate of Appropriateness to replace rear addition with a new addition.

Applicant Chris Chiles

Application Filed January 20, 2026

Staff Recommendation

That the request for a Certificate of Appropriateness to replace rear addition with a new addition be **approved with the condition** that windows are all wood and that the knee braces are historically correct to match existing. Implementation of these conditions with allow the proposed work is consistent with preservation criteria Sec. 51P-87.111(a)(2); City Code Section 51A-

4.501(d)(5)(B)(i) for **contributing** structures; and/or the Secretary of the Interior’s Guidelines for Rehabilitation (District/Neighborhood).

Task Force Recommendation

That the request for a Certificate of Appropriateness to replace rear addition be **denied without prejudice**: 1. Knee braces need to be historically appropriate. 2. Need to correct roof line of bump out in back – length needs to go in with the bump in, and 3. Verify lot coverage – porch should be included in square footage.

8. 115 N. WINDOMERE AVENUE

Winnetka Heights Historic District
COA-2-000602
Christina Paress

Request

A Certificate of Appropriateness to change paint colors of main and accessory structures: Body – SW9184 “Foxhall Green”, Trim – SW7012 “Creamy”, and Accent – SW7103 “Whitetail”.

Applicant Sarah Hawkins

Application Filed December 31, 2025

Staff Recommendation

That the request for a Certificate of Appropriateness to change paint colors of main and accessory structures: Body – SW9184 “Foxhall Green”, Trim – SW7012 “Creamy”, and Accent – SW7103 “Whitetail” be **approved**. The proposed work is consistent with preservation criteria SEC. SIP-87.111(a)(8); City Code Section 51A-4.501(d)(5)(B)(i) for contributing structures; and/or the Secretary of the Interior’s Guidelines for Rehabilitation (District/Neighborhood).

Task Force Recommendation

That the request for a Certificate of Appropriateness to change paint colors of main and accessory structures: Body – SW9184 “Foxhall Green”, Trim – SW7012 “Creamy”, and Accent – SW7103 “Whitetail” be **approved**. Task force recommends considering accent color, adding pictures of neighboring houses (colors), and satin on body, gloss – porch rails, semi-gloss – trim.

9. 303 N. WINDOMERE AVENUE

Winnetka Heights Historic District
COA-26-000015
Christina Paress

Request

A Certificate of Appropriateness to construct a new accessory structure with an attached carport (one car).

Applicant Chris Chiles

Application Filed January 14, 2026

Staff Recommendation

That the request for a Certificate of Appropriateness to construct a new accessory structure with an attached carport (one car) in accordance with specifications dated 3/3/2026 be **approved with the condition** that the Certificate of Demolition to demolish existing shed and carport be approved under a separate application. Implementation of the proposed condition would allow

the proposed work to be consistent with preservation criteria Sec. 51P-87.111(a)(1); City Code Section 51A-4.501(d)(5)(B)(ii) for **noncontributing** structures; and/or the Secretary of the Interior's Guidelines for Setting (District/Neighborhood).

Task Force Recommendation

That the request for a Certificate of Appropriateness to construct a new accessory structure with an attached carport (one car) in accordance with specifications dated 3/3/2026 be **approved** with conditions: Need new CD. Task force recommends more details on roof changes on main structure, verify lot coverage – covered porch included, and consider smaller windows on front of garage – scale style.

COURTESY REVIEWS

1. 3500 LATIMER STREET

Queen City [Predesignation Moratorium]

COA-26-000038

Rhonda Dunn

Request

A Courtesy Review of construction of a new main residential building on a vacant corner lot with an accessory structure -- a rear detached two-car garage.

Applicant Rick Smith

Application Filed 2/17/2026

Staff Recommendation

Courtesy Review - no action required. That the request to construct a new main residential building on a vacant corner lot with an accessory structure -- a rear detached two-car garage be **conceptually approved** with the understanding that the final design, as well as associated site plans, elevations, renderings, and details are to be submitted for Landmark Commission review.

Task Force Recommendation

Courtesy Review – Comments only. Supportive, with the following comments:

1. Reduce to one and a half stories, not two.
2. Show both street frontages on Contextual Site Plan.
3. Treat cornerside elevation as a primary façade.
4. Do NOT paint brick.
5. Copy brick details from Tudor Revivals on Romine Avenue.
6. Windows should be either all wood or all aluminum one-over-one (no cladding).
7. Include Contextual Site Plan, Site Plan, and Material Schedule/Sheet in final packet.

2. 2601 STATE STREET

State-Thomas Historic District

COA-25-000601

Marcus Watson

Request

A Courtesy Review of construction of a new 2.5-story multi-family residential building.

Applicant Jennifer Hiromoto

Application Filed 1/29/26

Staff Recommendation

Courtesy Review - no action required. That a request to construct a new 2.5-story multi-family residential main structure be **conceptually approved** with the understanding that the final design, as well as associated site plans, elevations, renderings, and details are to be submitted for Landmark Commission review.

Task Force Recommendation

Courtesy Review – Comments only. Supportive, with the following comments:

1ST Review (Reviewed by LMC)

- Remove shadow lines from elevation drawings. They are confusing.
- Proposed doors are too modern.
- Could the square patio openings in the roofline be incorporated into dormers to look more historic
- Provide more materials, colors and window/door specifications.
- Consider better treatment of Routh St. patio openings.
- Need to provide blockface façade study and context.

2nd Review (Not reviewed by LMC – now revised since Task Force)

- Gambrel roof form is not typical of the district
- Driveway should not be on State Street and should not cut into rolled lawn
- Consider underground parking
- Front façade on State should be better articulated to break up massing
- Need a blockface study

3. 112 N. CLIFF STREET

Tenth Street Historic District

COA-26-000035

Rhonda Dunn

Request

A Courtesy Review of construction of a new main residential building on a vacant lot with an accessory structure -- a rear detached one-car garage.

Applicant James McGee

Application Filed 1/26/2026

Staff Recommendation

Courtesy Review - no action required. That the request to construct a new main residential building on a vacant corner lot with an accessory structure -- a rear detached one-car garage be **conceptually approved** with the understanding that the final design, as well as associated site plans, elevations, renderings, and details are to be submitted for Landmark Commission review.

Task Force Recommendation

Courtesy Review – Comments only. Supportive, with the following comments:

1. Widen front dormer.
2. Install trim piece(s), a minimum of four inches in width between paired windows NOT siding, and trim as one unit.
3. Check dormer louver shape. Should it be arched?

4. Change windows to all wood one over one NOT six over one.
5. Center rear door and steps between rear porch columns.
6. Use Craftsman style door hardware.
7. Include mortar color(s) on Material Schedule.
8. Make sure elevation drawings and Material Schedule match and call out materials on drawings.
9. Exterior chimney should be clad in brick not wood siding. Isn't that a safety issue?

4. 220 S. CLIFF STREET

Tenth Street Historic District
COA-26-000023
Rhonda Dunn

Request

A Courtesy Review of construction of a new main residential building on a vacant lot.

Applicant Rafael Alfaro

Application Filed 1/26/2026

Staff Recommendation

Courtesy Review - no action required. That the request to construct a new main residential building on a vacant corner lot with an accessory structure -- a rear detached one-car garage be **conceptually approved** with the understanding that the final design, as well as associated site plans, elevations, renderings, and details are to be submitted for Landmark Commission review.

Task Force Recommendation

Courtesy Review – Comments only. Non-Supportive, with the following comments:

1. Architectural style is undetectable.
2. Style of main building is NOT appropriate for the district.
3. Show both sides of the street on Contextual Site Plan to show two-story house(s) in same block.
4. No vertical siding, use all wood, horizontal lap-siding.
5. Make sure elevation drawings and Material Schedule match and call out materials on drawings.
6. Porch columns should be a minimum of eight inches in width/diameter and have a simple base and capital.

DISCUSSION AGENDA

1. 1201 MAIN STREET

One Main Place Historic District
COA-26-000048
Rhonda Dunn

Request

1. A Certificate of Appropriateness for exterior rehabilitation of south (primary) elevation (on the ground level), which includes removal of two existing aluminum entry marquee structures; installation of new marquee structure at (center of) elevation; removal of existing paving and

light pole and replacement with new landscaped infill and bollard lights, at south-side vehicular drop off; and installation of new raised planter boxes adjacent to the proposed new (central) marquee.

2. A Certificate of Appropriateness for fenestration alteration on the ground floor, which includes replacement of existing revolving doors and swing doors, with new glazing to match existing and/or new vestibules with matching mullions and muntins, on south and north elevations.

Applicant David Ramsey

Application Filed 2/18/2026

Staff Recommendation

1. That the request for a Certificate of Appropriateness for exterior rehabilitation of south (primary) elevation (on the ground level), which includes removal of two existing aluminum entry marquee structures; installation of new marquee structure at (center of) elevation; removal of existing paving and light pole and replacement with new landscaped infill and bollard lights, at south-side vehicular drop off; and installation of new raised planter boxes adjacent to the proposed new (central) marquee be **approved** in accordance with drawings and specifications dated 2/19/2026 **with the following conditions**: that marquee structure be self-supporting and fully reversible with minimal or no damage to the front facade, if removed (i.e., no ties to the main building); that new driveways, sidewalks, steps, and walkways be constructed of exposed aggregate concrete (or stone) matching the existing in color, pattern and texture; and that new plant material be native to North Texas. Implementation of the recommended conditions would allow the proposed work to be consistent with preservation criteria Sections 3.5 and 3.8(b) under Building Site and Landscaping, and Section 9.7 under New Construction and Additions; the standards in City Code Section 51-4.501(g)(6)(C)(i) for contributing structures; and the Secretary of the Interior's Standards for Rehabilitation.
2. That the request for a Certificate of Appropriateness for fenestration alteration on the ground floor, which includes replacement of existing revolving doors and swing doors, with new glazing to match existing and/or new vestibules with matching mullions and muntins, on south and north elevations be **denied without prejudice** with findings of fact that the revolving doors are a character defining feature(s) and are protected. The proposed work, therefore, would have an adverse effect on the landmark and is not consistent with preservation criterion Section 5.1 under Fenestration and Openings; the standards in City Code Section 51-4.501(g)(6)(C)(i) for contributing structures; and the Secretary of the Interior's Standards for Rehabilitation.

Task Force Recommendation

1. That the request for a Certificate of Appropriateness for exterior rehabilitation of south (primary) elevation (on the ground level), which includes removal of two existing aluminum entry marquee structures; installation of new marquee structure at (center of) elevation; removal of existing paving and light pole and replacement with new landscaped infill and bollard lights, at south-side vehicular drop off; and installation of new raised planter boxes adjacent to the proposed new (central) marquee be **approved** as submitted.
2. That the request for a Certificate of Appropriateness for fenestration alteration on the ground floor, which includes replacement of existing revolving doors and swing doors, with new glazing to match existing and/or new vestibules with matching mullions and muntins, on south and north elevations be **approved with the following condition** that applicant increase the clear walking path through the arcade when the doors are open.

2. 3521 LATIMER STREET

Queen City [Predesignation Moratorium]

COA-26-000009

Rhonda Dunn

Request

A Predesignation Certificate of Appropriateness to construct a new main residential building (on a vacant lot).

Applicant Zackary Torres

Application Filed 1/26/2026

Staff Recommendation

That the request for a Predesignation Certificate of Appropriateness to construct a new main residential building (on a vacant lot) with an accessory structure -- a rear detached two-car garage be **approved** in accordance with drawings and specifications dated 10/24/2025 **with the following conditions**: (1) that a fascia/frieze board be added to all elevations – including above the front porch columns – minimum height eight inches, preferably cedar; (2) that windows be aluminum framed with lite configuration of one over one (no grille(s) and no cladding); (3) that ribbon driveways have a three feet setback to the front porch (for landscaping) and be of brush finished concrete; and (4) that foundation height be a minimum of 12 inches above grade. Implementation of the recommended conditions would allow the proposed work to meet the standards in City Code Section 51A-4.501(d)(5)(B) for **noncontributing** structures; and the Secretary of the Interior’s Guidelines for Setting (District/Neighborhood).

Task Force Recommendation

No quorum – Comments only. Supportive with the following comment(s): make sure all prior requests made by the Landmark Commission have been satisfied.

3. 2937 WARREN AVENUE

Wheatley Place Historic District

COA-26-000026

Rhonda Dunn

Request

A Certificate of Appropriateness to construct a new main residential building on a vacant lot.

Applicant Pascual Mojica

Application Filed 02/17/2026

Staff Recommendation

That the request to construct a new main residential building on a vacant lot be **denied without prejudice** with findings of fact that the massing of the proposed main building is inappropriately scaled for its surrounding context (i.e., massing is too high – an issue of verticality) and is not typical of the district. The proposed work, therefore, would have an adverse effect on the district and does not meet the standards in City Code Section 51A-4.501(d)(5)(B)(ii) for **noncontributing** structures; and/or the Secretary of the Interior’s Guidelines for Setting (District/Neighborhood).

Task Force Recommendation

No quorum – Comments only. Non-supportive, with the following comments: architectural style is inappropriate for the district, and elevations do not match roof plan.

4. 2941 WARREN AVENUE

Wheatley Place Historic District

COA-26-000025

Rhonda Dunn

Request

A Certificate of Appropriateness to construct a new main residential building on a vacant lot.

Applicant Pascual Mojica

Application Filed 02/17/2026

Staff Recommendation

That the request to construct a new main residential building on a vacant lot be **denied without prejudice** with findings of fact that the massing of the proposed main building is inappropriately scaled for its surrounding context (i.e., massing is too high – an issue of verticality) and is not typical of the district. The proposed work, therefore, would have an adverse effect on the district and does not meet the standards in City Code Section 51A-4.501(d)(5)(B)(ii) for **noncontributing** structures; and/or the Secretary of the Interior’s Guidelines for Setting (District/Neighborhood).

Task Force Recommendation

No quorum – Comments only. Non-supportive, with the following comments: architectural style is inappropriate for the district, and elevations do not match roof plan.

5. 1518 ABRAMS ROAD

Roger D. McIntosh House – The Shack

Rhonda Dunn and Raeesa Parvez Patel

Request

Request a public hearing to consider [re]initiation of the historic designation process for 1518 Abrams Road (the Roger D. McIntosh House – “The Shack”).

Owner Terri Miller Raith

6. 5006 W. AMHERST AVENUE.

Lustron House

Rhonda Dunn and Raeesa Parvez Patel

Request

Request a public hearing to consider initiation of the historic designation process for 5006 W. Amherst Avenue (the Lustron House).

Owner Mendoza Revocable Trust

DESIGNATION COMMITTEE:

Note: The official Designation Committee Agenda will be posted in the City Secretary's Office and City Website at www.ci.dallas.tx.us/cso/boardcal.shtml. Please review the official agenda for location and time.