







1 BUILDING ELEVATION - EAST
SCALE: 1/8" = 1'-0"



2 BUILDING ELEVATION - NORTH
SCALE: 1/8" = 1'-0"



3 BUILDING ELEVATION - SOUTH
SCALE: 1/8" = 1'-0"



4 BUILDING ELEVATION - WEST
SCALE: 1/8" = 1'-0"

EXTERIOR ELEVATION NOTES

1. Refer to Sheet A3.11 for Typical Control Joint Details.
2. Based on the applicable design criteria, submit the proposed pattern of control joints in masonry veneer to the Architect for review and approval prior to construction.
3. Verify mounting heights of all Electrical and Mechanical items on the exterior of the building prior to construction, whether specifically indicated on the Exterior Elevations or not.
4. Install cast stone in accordance with the recommendations of the Cast Stone Institute, unless specifically noted or detailed otherwise.
5. Refer to Sheet A3.11 for Loose Lintel Details. Refer to Structural Drawings for maximum span and bearing requirements.
6. Terminate recessed and projected masonry veneer courses at 4" from intersecting window frames, door frames, sloping roofs, etc., unless noted otherwise.

EXTERIOR ELEVATION LEGEND

- A BRICK VENEER, TYPE 'A'
B BRICK VENEER, TYPE 'B'
OS OVERFLOW SCUPPER, REF. ROOFING
CJ CONTROL JOINT, REF. 3 & 4/A3.11
SX ALUMINUM STOREFRONT, REF. SHEET A7.21

ARCHITECT

VLK Architects, Inc.
5801 Tennyson Pkwy, Suite 100
Plano, Texas 75024
Main Phone: 972.285.1885
www.vlkarchitects.com

PLANO I.S.D.
DALLAS, TEXAS

NOT FOR REGULATORY
APPROVAL, PERMITTING
OR CONSTRUCTION.

ROSS RIVERS
TEXAS LICENSE #21766

ISSUED: SEPT. 16TH, 2022

REVISIONS

Revision No.	Revision Date
1 ASI 13	01.08.2025

Director RR
Designer ZS
Proj. Arch. VLK
Drawn By JDS
Quality Control

PROJECT NO.

21-058.00

SHEET TITLE

EXTERIOR ELEVATIONS

SHEET NO.

A3.01