

**APPLICATION FOR A CERTIFICATE OF APPROPRIATENESS FOR
A SIGN IN A SPECIAL PROVISION SIGN DISTRICT (SPSD)**

WYNNEWOOD VILLAGE SIGN DISTRICT

CASE NUMBER: 2502180029
LOCATION: 655 W ILLINOIS AVE
(See Sign 11 on att. Site Plan)

DATE FILED: February 18, 2025
SIZE OF REQUEST: 110.7 sq. ft.

COUNCIL DISTRICT: 1

ZONING: RR

APPLICANT: Annette Weatherspoon of SSC Signs & Lighting, LLC.

OWNER: Brixmor Holdings 12 SPE, LLC

OWNER REP.: Eric Walker, Director of Construction

REQUEST: An application for a Certificate of Appropriateness by Annette Weatherspoon of SSC Signs & Lighting, LLC., for a 110.7-square-foot LED illuminated multi tenant monument sign at 655 W ILLINOIS AVE (See Sign 11 on att. Site

SUMMARY: The applicant proposes to install a 110.7-square-foot LED illuminated multi tenant monument sign, composed of a painted aluminum cabinet with routed copy and push thru acrylic letters. Cabinet will sit upon a concrete base and be outlined with decorative LED light bar.

STAFF RECOMMENDATION: Approval.

SSDAC RECOMMENDATION: Approval.

BACKGROUND:

- The subject site is located in Wynnewood Village SPSD and is zoned Regional Retail District 1 (RR), a business zoning sign district.
These regulations are established in: [Sec. 51A-7.2400](#) (Specific details included below).
- The applicant proposes to install a 110.7-square-foot LED illuminated multi tenant monument sign, composed of a painted aluminum cabinet with routed copy and push thru acrylic letters. Cabinet will sit upon a concrete base and be outlined with decorative LED light bar.
 - The sign is composed of a painted aluminum cabinet with routed copy and push thru acrylic letters. Cabinet will sit upon a concrete base and be outlined with decorative LED light bar. All sign elements are constructed entirely of metal, concrete, and LED lighting. The overall height of the sign will not exceed 6-feet.
 - The sign will be back-lit by LED. Tenant panels will be left blank; to be branded at a later date. Only the copy will be illuminated.
- This is the fourth of six applications under review by this body for this site. This application is for a new, refreshed multi tenant monument sign. This sign is to be located on Illinois Ave, at the Ludlow Drive Entrance, and is submitted as Sign 11.
- Construction of the proposed sign is in accordance with SPSPD regulations and meets the requirements of the Dallas City Code per Sec. 51A-7.2400.

51A-7.2402 PURPOSE.

The purpose of this division is to regulate both the construction of new signs and the alterations of existing signs with a view towards enhancing, preserving, and developing the unique character of this sign district while addressing the public's need to locate and navigate to multiple businesses within the shopping center. These sign regulations have been developed with the following objectives in mind:

- (1) To protect the historical and architectural character of this district from inappropriate signs in terms of number (clutter), style, color, and materials.
- (2) To promote the economic success of each business within this district and, in turn, the collective success of the district,
- (3) To attract the public to the goods and services available in the district by enhancing the aesthetic quality of signs in this district.
- (4) To preserve and enhance the aesthetics and character of this district
- (5) To encourage artistic, creative, and innovative signs that reflect the themes of the area
- (6) To promote safety, communications efficiency, and landscape quality and preservation as described in Section 51A-7.101.

51A-7.2403 DEFINITIONS AND INTERPRETATIONS.

(7) MONUMENT SIGN means a detached sign applied directly to a ground level support structure (instead of a pole support) with no separation between the sign and the ground or mounted on a fence.

51A-7.2406 DETACHED SIGNS.

(a) In general.

- (1) All detached signs must maintain a minimum setback of five feet.

(b) Monument signs.

- (1) Maximum dimensions. No monument sign may exceed

- (A) 12 feet in height

- (B) 25 feet in width.

- (3) Multi-tenant monument signs. A maximum of two multi-tenant monument signs per street frontage is permitted within 50 feet of the public right-of-way, provided that each multi-tenant monument sign is spaced 400 feet or more from one another.

This sign maintains a minimum 5-foot setback from the property line. The overall height is 5' 4" and the overall width is 22' 6". The addition of this sign will not exceed the limits of two per frontage and will meet spacing requirements.

51A-7.505

PERMIT PROCEDURES FOR SPECIAL PROVISION SIGN DISTRICTS.

(B) **Factors the committee shall consider.** In reviewing an application, the committee shall first consider whether the applicant has submitted sufficient information for the committee to make an informed decision. If the committee finds the proposed sign to be consistent with the special character of the special provision sign district, the committee shall make a recommendation of approval to the city plan commission. **The committee shall consider the proposed sign in terms of its appropriateness to the special provision sign district with particular attention to the effect of the proposed sign upon the economic structure of the special provision sign district and the effect of the sign upon adjacent and surrounding premises without regard to any consideration of the message conveyed by the sign.** After consideration of these factors, the committee shall recommend approval or denial of the application and forward that recommendation to the city plan commission.

(6) **Decision by the commission.** Upon receipt of a recommendation by the committee, the commission shall hold a public hearing to consider the application. At least 10 days before the hearing, notice of the date, time, and place of the hearing, the name of the applicant, and the location of the proposed sign must be published in the official newspaper of the city and the building official shall serve, by hand-delivery or mail, a written notice to the applicant that contains a reference to this section, and the date, time, and location of this hearing. A notice sent by mail is served by depositing it properly addressed and postage paid in the United States mail. In addition, if the application is for a detached sign or for an attached sign that has more than 100 square feet of effective area, the applicant must post the required number of notification signs in accordance with Section 51A-1.106. **In making its decision, the commission shall consider the same factors that were required to be considered by the committee in making its recommendation.** If the commission approves the application, it shall forward a certificate of appropriateness to the building official within 15 days after its approval. If the commission denies the application, it shall so inform the building official in writing. Upon receipt of the written denial, the building official shall so advise the applicant within five working days of the date of receipt of the written notice.

Property Ownership

Brixmor Holdings 12 SPE, LLC
a Delaware limited liability company
c/o Brixmor Property Group, Inc.
1003 Holcomb Woods Parkway
Roswell, GA 30076

Owner's Representative

Eric Walker, Director of Construction
Eric.walker@brixmor.com
215-936-7177

SSDAC Action:

March 18, 2025

MOTION: It was moved to **approve**:

An application for a Certificate of Appropriateness by Annette Weatherspoon of SSC Signs & Lighting, LLC., for a 110.7-square-foot LED illuminated multi tenant monument sign at 655 W ILLINOIS AVE (See Sign 11 on att. Site Plan).

Maker: Webster
Second: Dumas
Result: Carried: 5 to 0

For: 3 - Peadon, Dumas, Webster, Hardin
and Hall
Against: 0 - none
Absent: 0 - none
Conflict: 0 - none

Speakers: Brett Milke, Brixmor Property Group
Nikita Moore, SSC Signs & Lighting
Marisol Castano, SSC Signs & Lighting

Miscellaneous Transaction

Job 197660668-002 (2502180029)

Electrical Sign (ES) DETACHED - SIGN 11 (A) New Construction

Status:Paid

Created By:TLUMSDEN


Date Created:Feb 18, 2025

Date Completed:Feb 18, 2025

Parent Job:197660668-001 (2501241081)

Specific Location:110.7SF- 655 W ILLINOIS AVE - LED ILLUMINATED MULTI-TENANT MONUMENT ///CA#

Details	
Customer	Weatherspoon, Annette 2090 McGee Lane Lewisville, TX 75077 (972) 219-2495 aweatherspoon@sscsigns.com
Fee Amount	
FeeType	
Staff Email	SCOTT.ROPER@DALLAS.GOV

Details	
Fees (EXT): 2502180029 5BN - Special Provision Sign District fee \$397.00 Adjusted:\$0.00 Paid:\$397.00 Owed:\$0.00	
	Customer: Weatherspoon, Annette 2090 McGee Lane Lewisville, TX 75077 (972) 219 2495
Fees (EXT): 2502180029 Technology Fee \$15.00 Adjusted:\$0.00 Paid:\$15.00 Owed:\$0.00	

				Fees
Description	Posted Date	Amount	Tax	Total
5BN - Special Provision Sign District fee		\$397.00	\$0.00	\$397.00
				\$0.00
Receipt Number: 948863 \$412.00		(\$397.00)	\$0.00	(\$397.00)
Technology Fee		\$15.00	\$0.00	\$15.00
				\$0.00
Receipt Number: 948863 \$412.00		(\$15.00)	\$0.00	(\$15.00)
				\$0.00


Job 197660668-002 (2502180029)

Processes

Assigned To	Status	Outcome	Scheduled		Actual	
			Start	Completed	Start	Completed
System Fee Collection						
SICASHIERINTERFACE	Complete	Collected				Feb 18, 2025 16:23:25
Auto generated System Fee Collection						



SIGN SCHEDULE			
SIGN	SIGN TYPE	QTY	ITEM DESCRIPTION
09	P.1020	1	D/F ILLUMINATED PYLON W/ TENANT PANELS
17	P.1020	1	D/F ILLUMINATED PYLON W/ TENANT PANELS
11	MON.110	1	D/F ILLUMINATED MONUMENT
18	MON.110	1	D/F ILLUMINATED MONUMENT
14	MON.60	1	D/F ILLUMINATED MONUMENT
15	MON.60	1	D/F ILLUMINATED MONUMENT



BRIXMOR HOLDINGS 12 SPE, LLC
2333 DREXTON DR., SUITE 5100

SIGN SCHEDULE			
SIGN	SIGN TYPE	QTY	ITEM DESCRIPTION
11	PS.110	1	D/F ILLUMINATED MONUMENT



LOCATION MAP
SCALE: 1" = 500'

ANY TRAFFIC CONTROL PLAN (TCP) MUST BE SUBMITTED TO THE DEPARTMENT OF PUBLIC WORKS FOR REVIEW AND APPROVAL BY TRAFFIC SAFETY COORDINATORS PRIOR TO START OF CONSTRUCTION. NO TRAFFIC LANE OR SIDEWALK ALONG ANY PUBLIC STREET OR ALLEY IS TO BE CLOSED WITHOUT FIRST OBTAINING THE APPROPRIATE PERMIT(S). CLOSURE OF ANY TRAFFIC LANE MUST BE RESTRICTED TO THE HOURS OF 9:30 A.M. TO 3:30 P.M. WORKDAYS (HOURS MAY DIFFER IN SCHOOL ZONES). CONTRACTOR MUST CALL (214) 948-4290 TO REQUEST APPROVAL OF TCP AND TO OBTAIN A RIGHT-OF-WAY PERMIT.

ALL EXISTING AND PROPOSED SIDEWALKS AND BARRIER-FREE RAMPS COMPLY WITH TEXAS ACCESSIBILITY STANDARDS (TAS) AND AMERICANS WITH DISABILITIES ACT (ADA).

BENCHMARKS & CONTROL POINTS

BM#1
X-CUT ON THE BACK OF CURB FOUND ON EAST END OF PARKING ISLAND ON THE WEST LINE OF WYNNEWOOD DRIVE, APPROXIMATELY 103 FEET FROM THE MOST WESTERLY CORNER OF 1 STORY MASONRY BUILDING (655 W ILLINOIS AVENUE) AND APPROXIMATELY 44 FEET NORTHWEST FROM A SANITARY SEWER MANHOLE, AS SHOWN.
ELEVATION = 548.40'
BM#2
X-CUT ON THE BACK OF CURB FOUND ON THE WEST LINE OF WYNNEWOOD PLAZA APPROXIMATELY 50 FEET SOUTH EAST OF A LIGHT POLE AND APPROXIMATELY 72 FEET SOUTH EAST FROM A SECOND LIGHT POLE, AS SHOWN.
ELEVATION = 528.12'

POINT	NORTHING	EASTING	ELEV.	DESCRIPTION
1				
2				

REVISIONS

REV NO.	DATE	DESCRIPTION	BY
1	12/04/2024	DWU - REV 1 PUBLIC WATER/WASTEWATER	SELGK

BOHLER BOHLER ENGINEERING TX, LLC (TP&E FIRM # 18065)
ENGINEER: MATTHIAS HAUBERT, P.E.
ADDRESS: 2600 NETWORK BLVD., SUITE 310, FRISCO, TX 75034
EMAIL: MHAUBERT@BOHLERENG.COM
PHONE (D): 469-458-7300

PLAT NO.	PERMIT NO.	DEV ENGINEERING TRACKING NOS.
S178-004	2410231068	DP24-235

DIMENSION CONTROL OVERALL PLAN
WYNNEWOOD VILLAGE - PETSMART
655 W. ILLINOIS AVENUE
DEVELOPMENT SERVICES
CITY OF DALLAS, DALLAS COUNTY, TEXAS

REVIEW BY:	DRAWN BY:	DATE	FILE	NUMBER	SHEET
MH	KD/ML	09/16/2024	DP24	235	C05.01


110.66 SQ. FT.

SPECIFICATIONS

1. FABRICATED ALUMINUM CABINET.
2. FABRICATED ALUMINUM CABINET W/ 1-1/2" RETAINERS AND 1" DIVIDER BARS. .090 ALUMINUM TENANT PANELS WITH ROUTED COPY, 1/2" CLEAR ACRYLIC PUSH THRU WITH WHITE VINYL APPLIED FIRST SURFACE TO THE PUSH THRU LETTERS. WHITE LED ILLUMINATION.
3. FABRICATED ALUMINUM CABINET .090 ALUMINUM FACES WITH ROUTED COPY, 1/2" CLEAR ACRYLIC PUSH THRU WITH PERFORATED VINYL APPLIED FIRST SURFACE TO THE PUSH THRU LETTERS. WHITE LED ILLUMINATION.
4. FABRICATED ALUMINUM BAND W/ LED ILLUMINATED LIGHT BAR.
5. TEXTURED CONCRETE BASE.
6. CONCRETE PAD.



NIGHT ELEVATION




SOUTH ELEVATION

MONUMENT SIGN

SCALE: 3/8" = 1'-0"

2500 PSI CONCRETE (MIN.)

WEST ELEVATION




NORTH ELEVATION

EAST ELEVATION


- WHITE - 000c
- DK. DURANODIC BRONZE
- 'LIME GREEN' TO MATCH PMS 374C
- 'DK. GREY' TO MATCH PMS 431C
- BLACK 6c
- TEXTURED CONCRETE FINISH

Electrical Load
(2.6) Amps @ 120 Volts
Electrical Req'mts
(1) 20 Amp/120 Volt Circuits


Note: This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code 2024 and/or other applicable local codes. This includes proper grounding and bonding of the sign.




BASE PLATE DETAIL FOR 5.625" DIA. SUPPORT OPTION: 1
1-1/2"=1'-0"
A307 Anchor Bolts
A36 Steel Plate






BASE PLATE DETAIL FOR 3.50" DIA. SUPPORT OPTION: 2
1-1/2"=1'-0"
A307 Anchor Bolts
A36 Steel Plate



BASE PLATE DETAIL FOR 5.625" DIA. SUPPORT OPTION: 1
1 1/2"=1'-0"
A307 Anchor Bolts
A36 Steel Plate



BASE PLATE DETAIL FOR 3.50" DIA. SUPPORT OPTION: 2
1 1/2"=1'-0"
A307 Anchor Bolts
A36 Steel Plate



Date:	2/11/25	City, State:	Dallas, TX	SHEET:	1 OF 3
Client:	SSC Signs & Lighting	Overall Height:	5'-6"	Sean M. McFarland, P.E.	
Sign:	Wynnewood Village #SO12827	Wind Speed	105 mph	McFarland Engineering	

Sign Description	655 W Illinois Ave	Table of Contents
# Columns: 2	ADDED BASE PLATES	Content: Page
ME Job: 70010 Sns 11/18		Design Loads. 1
	ULTIMATE LOADS / 30 PSF	Support Design. 1-2
Height: 5'-6"	42 KSI STEEL PIPE	Foundation Design / General Notes 3
Width: 22'-6"	NO ENGINEERING IMPLIED OR PROVIDED FOR ABOVE GRADE CONCRETE BASE	


Structural Variables and Code Loading Specifications

Cabinet Type:	Miscellaneous ▼	Code:	2021 IBC W/ Amends ▼
Structural Section:	Steel Pipe - 42000psi ▼	Wind Speed:	105 ▼
Number of Zones:	4 ▼	Wind Exposure:	C ▼

Wind Loads Per ASCE 7-16

Sign Sections:

Zone	Cabinet Wt. Per Sq. Ft.	Weight	Transition (Y or N)
1	20 ▼	14.6 #/FT	
2	20 ▼	14.6 #/FT	
3	5 ▼	14.6 #/FT	
4	35 ▼	14.6 #/FT	y
5	0 ▼		
6	0 ▼		
7	0 ▼		
8	0 ▼		

**Geometry:**

Zone	Top Elevation	Height	* Approx. Width Width	Pressure	Force	Approx. Weight
1	5.50 FT	1.67 FT	4.67 FT *	30.00 PSF	0.23 K	205 #
2	3.83 FT	2.17 FT	20.83 FT *	30.00 PSF	1.36 K	967 #
3	1.66 FT	0.50 FT	22.50 FT *	30.00 PSF	0.34 K	71 #
4	1.16 FT	1.16 FT	20.50 FT *	30.00 PSF	0.71 K	866 #

Total Wind Force = 2.64 K 2,109 #

Date:	2/11/25	City, State:	Dallas, TX	SHEET:	2 OF 3
Client:	SSC Signs & Lighting	Overall Height:	5'-6"	Sean M. McFarland, P.E.	
Sign:	Wynnewood Village #SO12827	Wind Speed	105 mph	McFarland Engineering	

655 W Illinois Ave

ME Job: 70010 Sns 11/18

Moments at Transitions:

Zone	Lateral Force	4 Mom. Arm
1	0.23 K	4.67 FT
2	1.36 K	2.75 FT
3	0.34 K	1.41 FT
4	0.71 K	0.58 FT

5.70 K-FT

Section Properties:	1.23 IN^3	00 IN^3	00 IN^3	00 IN^3	00 IN^3	00 IN^3
----------------------------	-----------	---------	---------	---------	---------	---------

Structural Sections to be used:

Zone	Option	Pipes Dim.	Wall t.	Weight	Sxx	d/t	Sxx Req'd
4	Pipes	5.56 IN	0.258 IN	14.6 #/FT	5.12 IN^3	21.50	1.23 IN^3
	Option	3.50 IN	0.216 IN	7.6 #/FT	1.62 IN^3	16.20	1.23 IN^3

Structure Required

# Req'd	Size	Wall Thickness
2	5.56 IN	0.258 IN

Date: 2/11/25	City, State: Dallas, TX	SHEET: 3 OF 3
Client: SSC Signs & Lighting	Overall Height: 5'-6"	Sean M. McFarland, P.E.
Sign: Wynnewood Village #SO12827	Wind Speed 105 mph	McFarland Engineering

655 W Illinois Ave

ME Job: 70010 Sns 11/18

Two Pier Footings

Pier Footing Design:

Select the footing and soil type:

$$d = A / 2 * (1 + (1 + (4.36 * h) / A)^{1/2})$$

$$\text{where } A = (2.34 * P) / (S1 * b)$$

Footing:	Round
Vert. Soil Bearing (psf):	1500
Lat. Soil Bearing (psf):	150

Mmax =	2,852 #-FT
Pmax (Lateral) =	1,320 #
LSBP =	150 PCF
S1 =	437 PCF X d
d =	2.500 FT For use with Round Footing

A =	2.83 FT^2
h =	2.160 FT
d =	4.356 FT

USE: 2.50 FT. RND. X 4.75 FT DEEP PIERS w/ 8" SLAB w/ #5's @ 12" O.C.

2" ABOVE GRADE.

Soil Bearing Check:

DLmax =	2,109 LBS	w/ (8) #6's VERTICAL w/ #4's @ 12" O.C.
Area of Footing =	4.91 FT^2	(5 Ties Top 12")
Actual SBP =	430 PSF	
Allowable SBP =	1,125 PSF	(Includes code allowed 20% increase for every foot of footing below 12" into natural grade.)

430 PSF < 1,125 PSF THEREFORE OK

Baseplate Design -

D = 5.63 IN	A36 Steel	Fy= 36ksi		
e = 1.19 IN	E70 Electrodes	Fw= 928 #/in/16th		
b eff = 3.75 IN	A307 A.B.'s	Ft=20 ksi		
e eff = 2.25 IN	# of Bolts = 4	Dia. Bolt	0.5	
Baseplate t = 0.63 IN	Column Mom = 2,852 #-FT			

P Bolt =	$\frac{M * 12 \text{ (in/ft)}}{2 \text{ bolts (D + e + t)}}$	2,301 #	<	3,926 #
t req'd =	$[(6 * P * e \text{ eff} * 1 \text{ bolt}) / (.75 * Fy(b \text{ eff} + 2 * t))]^{1/2}$.480 IN	<	0.63 IN
Weld =	$\frac{M * 12 \text{ (in/ft)}}{Fw (3.1415 * D^2/4)}$	1.48 16th's	<	3.00 16th's

USE: (4) 1/2" Dia. Bolts w/ 5/8" Baseplate. Weld to Support with (1) 3/16" Fillet Weld.

Baseplate Design - Option

D = 3.50 IN	A36 Steel	Fy= 36ksi		
e = 1.25 IN	E70 Electrodes	Fw= 928 #/in/16th		
b eff = 1.90 IN	A307 A.B.'s	Ft=20 ksi		
e eff = 1.60 IN	# of Bolts = 4	Dia. Bolt	0.625	
Baseplate t = 0.63 IN	Column Mom = 2,852 #-FT			

P Bolt =	$\frac{M * 12 \text{ (in/ft)}}{2 \text{ bolts (D + e + t)}}$	3,183 #	<	6,100 #
t req'd =	$[(6 * P * e \text{ eff} * 1 \text{ bolt}) / (.75 * Fy(b \text{ eff} + 2 * t))]^{1/2}$.599 IN	<	0.63 IN
Weld =	$\frac{M * 12 \text{ (in/ft)}}{Fw (3.1415 * D^2/4)}$	3.83 16th's	< (2)	3.00 16th's



USE: (4) 5/8" Dia. Bolts w/ 5/8" Baseplate. Weld to Support with (2) 3/16" Fillet Welds.

ME #: 70010

SIGN - 11 & 18

SIGN 11 AND 18 - MON.110 - D/F ILLUMINATED MONUMENT - QTY: 2

110.66 SQ. FT.



SPECIFICATIONS

1. FABRICATED ALUMINUM CABINET.
2. FABRICATED ALUMINUM CABINET W/ 1-1/2" RETAINERS AND 1" DIVIDER BARS. .090 ALUMINUM TENANT PANELS WITH ROUTED COPY, 1/2" CLEAR ACRYLIC PUSH THRU WITH WHITE VINYL APPLIED FIRST SURFACE TO THE PUSH THRU LETTERS. WHITE LED ILLUMINATION.
3. FABRICATED ALUMINUM CABINET .090 ALUMINUM FACES WITH ROUTED COPY, 1/2" CLEAR ACRYLIC PUSH THRU WITH PERFORATED VINYL APPLIED FIRST SURFACE TO THE PUSH THRU LETTERS. WHITE LED ILLUMINATION.
4. FABRICATED ALUMINUM BAND W/ LED ILLUMINATED LIGHT BAR.
5. TEXTURED CONCRETE BASE.
6. CONCRETE PAD.




- WHITE - 000c
DK. DURANODIC BRONZE
'LIME GREEN' TO MATCH PMS 374C
'DK. GREY' TO MATCH PMS 431C
BLACK 6c
TEXTURED CONCRETE FINISH

Electrical Load
(2.6) Amps @ 120 Volts
Electrical Req'mts
(1) 20 Amp/120 Volt Circuits

Note: This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code 2024 and/or other applicable local codes. This includes proper grounding and bonding of the sign.


ME #: 70010

SIGN - 11 & 18




BASE PLATE DETAIL FOR 5.625" DIA. SUPPORT OPTION: 1

1-1/2"=1'-0"
A307 Anchor Bolts
A36 Steel Plate




BASE PLATE DETAIL FOR 3.50" DIA. SUPPORT OPTION: 2

1-1/2"=1'-0"
A307 Anchor Bolts
A36 Steel Plate



BASE PLATE DETAIL FOR 5.625" DIA. SUPPORT OPTION: 1

1 1/2"=1'-0"
A307 Anchor Bolts
A36 Steel Plate



BASE PLATE DETAIL FOR 3.50" DIA. SUPPORT OPTION: 2

1 1/2"=1'-0"
A307 Anchor Bolts
A36 Steel Plate

M

McFarland
Engineering

183 Edgewater Ct
Mocksville, NC 27028

Structural Sign Design
&
Engineering Services

Ph: (281) 813-7439
Email: sean@signstructures.com
Web: www.signstructures.com

WYNNEWOOD VILLAGE
SO12827

Address: 655 W ILLINOIS AVE

City/State: DALLAS, TX

Client: SSC SIGNS & LIGHTING


ENGINEERING OF
VERTICAL SUPPORT AND
FOUNDATION ONLY.
NO CABINET ENGINEERING
PROVIDED OR IMPLIED.

Initial Drawing: (69451) DS

Revised Artwork: (69512) DS

Added Base Plate: (70010) DS

18



The electronic seal appearing on this document was
authorized by Sean M. McFarland, PE on February 11, 2025.


Date: 2-11-2025

Sheet #: 2 OF 6

NC Firm Registration: F-1136
Texas Expiration Date: 6/30/2025
Texas Firm Registration: F-6996


ME #: 70010

SIGN - 11 & 18




FOUNDATION PLAN VIEW

SCALE: 3/8"=1'



PLAN VIEW

1/2"=1'-0"
2500 PSI CONCRETE (MIN.)
TYPICAL OF TWO PIERS



MCFARLAND ENGINEERING
IS NOT RESPONSIBLE FOR
THE DIMENSIONAL
LOCATIONS OF THE
VERTICAL SUPPORTS

McFarland Engineering

183 Edgewater Ct
Mocksville, NC 27028

Structural Sign Design
&
Engineering Services

**WYNNEWOOD VILLAGE
SO12827**

Address: 655 W ILLINOIS AVE

City/State: DALLAS, TX

Client: SSC SIGNS & LIGHTING

Ph: (281) 813-7439
Email: sean@signstructures.com
Web: www.signstructures.com

ENGINEERING OF
VERTICAL SUPPORT AND
FOUNDATION ONLY.
NO CABINET ENGINEERING
PROVIDED OR IMPLIED.

Initial Drawing: (69451) DS

Revised Artwork: (69512) DS

Added Base Plate: (70010) DS

19

DocuSigned by
Sean M. McFarland
18DD401DCE5405

STATE OF TEXAS

SEAN M. MCFARLAND

88579

PROFESSIONAL ENGINEER

The electronic seal appearing on this document was
authorized by Sean M. McFarland, PE on February 11, 2025.

Date: 2-11-2025

Sheet #: 3 OF 6

NC Firm Registration: F-1136
Texas Expiration Date: 6/30/2025
Texas Firm Registration: F-6996