

**APPLICATION FOR A CERTIFICATE OF APPROPRIATENESS FOR
A SIGN IN A SPECIAL PROVISION SIGN DISTRICT (SPSD)**

WYNNEWOOD VILLAGE SIGN DISTRICT

CASE NUMBER: 2502180023

DATE FILED: February 18, 2025

LOCATION: 655 W ILLINOIS AVE
(See Sign 17 on att. Site Plan)

SIZE OF REQUEST: 1020 sq. ft.

COUNCIL DISTRICT: 1

ZONING: RR

APPLICANT: Annette Weatherspoon of SSC Signs & Lighting, LLC.

OWNER: Brixmor Holdings 12 SPE, LLC

OWNER REP.: Eric Walker, Director of Construction

REQUEST: An application for a Certificate of Appropriateness by Annette Weatherspoon of SSC Signs & Lighting, LLC., for a 1020-square-foot LED illuminated multi tenant pylon sign at 655 W ILLINOIS AVE (See Sign 17 on att. Site Plan).

SUMMARY: The applicant proposes to install a 1020-square-foot LED illuminated multi tenant pylon sign, composed of a painted aluminum cabinet with routed out design overlay. Cabinet will sit upon a concrete base and be outlined with decorative LED light bar.

STAFF RECOMMENDATION: Approval.

SSDAC RECOMMENDATION: Approval.

BACKGROUND:

- The subject site is located in Wynnewood Village SPSD and is zoned Regional Retail District 1 (RR), a business zoning sign district.
These regulations are established in: [Sec. 51A-7.2400](#) (Specific details included below).
- The applicant proposes to install a 1020-square-foot LED illuminated multi tenant pylon sign, composed of a painted aluminum cabinet with routed out design overlay. Cabinet will sit upon a concrete base and be outlined with decorative LED light bar.
 - The sign is composed of a painted aluminum cabinet with routed out design overlay. Cabinet will sit upon a concrete base and be outlined with decorative LED light bar. All sign elements are constructed entirely of metal, concrete, and LED lighting. The overall height of the sign will not exceed 46-feet.
 - The sign will be back-lit by LED. Tenant panels will be left blank; to be branded at a later date.
- This is the first of six applications under review by this body for this site. The intent of this application is to replace one existing pylon sign while refreshing the look. This sign is to be located on Zang Blvd, at the Wynnewood Plaza Entrance, and is submitted as Sign 17.
- Construction of the proposed sign is in accordance with SPSPD regulations and meets the requirements of the Dallas City Code per Sec. 51A-7.2400.

51A-7.2402 PURPOSE.

The purpose of this division is to regulate both the construction of new signs and the alterations of existing signs with a view towards enhancing, preserving, and developing the unique character of this sign district while addressing the public's need to locate and navigate to multiple businesses within the shopping center. These sign regulations have been developed with the following objectives in mind:

- (1) To protect the historical and architectural character of this district from inappropriate signs in terms of number (clutter), style, color, and materials.
- (2) To promote the economic success of each business within this district and, in turn, the collective success of the district,
- (3) To attract the public to the goods and services available in the district by enhancing the aesthetic quality of signs in this district.
- (4) To preserve and enhance the aesthetics and character of this district
- (5) To encourage artistic, creative, and innovative signs that reflect the themes of the area
- (6) To promote safety, communications efficiency, and landscape quality and preservation as described in Section 51A-7.101.

51A-7.2403 DEFINITIONS AND INTERPRETATIONS.

(7) MONUMENT SIGN means a detached sign applied directly to a ground level support structure (instead of a pole support) with no separation between the sign and the ground or mounted on a fence.

(9) PYLON SIGN means a detached multi-tenant monument sign that is more than 12 feet in height.

51A-7.2406 DETACHED SIGNS.

(a) In general.

- (1) All detached signs must maintain a minimum setback of five feet.

(d) Pylon signs

- (1) No pylon sign may exceed

- (A) 50 feet in height.

- (B) 1,250 square feet in effective area.

- (2) A maximum of one pylon sign per street frontage is permitted within 50 feet of the public right-of-way.

This sign maintains a minimum 5-foot setback from both property lines of the corner. The overall height is 45' 4" and the overall square-footage is 1020-square-feet.

51A-7.505

PERMIT PROCEDURES FOR SPECIAL PROVISION SIGN DISTRICTS.

(B) **Factors the committee shall consider.** In reviewing an application, the committee shall first consider whether the applicant has submitted sufficient information for the committee to make an informed decision. If the committee finds the proposed sign to be consistent with the special character of the special provision sign district, the committee shall make a recommendation of approval to the city plan commission. **The committee shall consider the proposed sign in terms of its appropriateness to the special provision sign district with particular attention to the effect of the proposed sign upon the economic structure of the special provision sign district and the effect of the sign upon adjacent and surrounding premises without regard to any consideration of the message conveyed by the sign.** After consideration of these factors, the committee shall recommend approval or denial of the application and forward that recommendation to the city plan commission.

(6) **Decision by the commission.** Upon receipt of a recommendation by the committee, the commission shall hold a public hearing to consider the application. At least 10 days before the hearing, notice of the date, time, and place of the hearing, the name of the applicant, and the location of the proposed sign must be published in the official newspaper of the city and the building official shall serve, by hand-delivery or mail, a written notice to the applicant that contains a reference to this section, and the date, time, and location of this hearing. A notice sent by mail is served by depositing it properly addressed and postage paid in the United States mail. In addition, if the application is for a detached sign or for an attached sign that has more than 100 square feet of effective area, the applicant must post the required number of notification signs in accordance with Section 51A-1.106. **In making its decision, the commission shall consider the same factors that were required to be considered by the committee in making its recommendation.** If the commission approves the application, it shall forward a certificate of appropriateness to the building official within 15 days after its approval. If the commission denies the application, it shall so inform the building official in writing. Upon receipt of the written denial, the building official shall so advise the applicant within five working days of the date of receipt of the written notice.

Property Ownership

Brixmor Holdings 12 SPE, LLC
a Delaware limited liability company
c/o Brixmor Property Group, Inc.
1003 Holcomb Woods Parkway
Roswell, GA 30076

Owner's Representative

Eric Walker, Director of Construction
Eric.walker@brixmor.com
215-936-7177

SSDAC Action:

March 18, 2025

MOTION: It was moved to approve:

An application for a Certificate of Appropriateness by Annette Weatherspoon of SSC Signs & Lighting, LLC., for a 1020-square-foot LED illuminated multi tenant pylon sign at 655 W ILLINOIS AVE (See Sign 17 on att. Site Plan).

Maker: Dumas
Second: Hardin
Result: Carried: 5 to 0

For: 3 - Peadon, Dumas, Webster, Hardin
and Hall
Against: 0 - none
Absent: 0 - none
Conflict: 0 - none

Speakers: Brett Milke, Brixmor Property Group
Nikita Moore, SSC Signs & Lighting
Marisol Castano, SSC Signs & Lighting

Job 197660231-002 (2502180023)

Job Edit

Miscellaneous Transaction

Job 197660231-002 (2502180023)

Electrical Sign (ES) DETACHED - SIGN 17 (A) New Construction

Status:Paid

Created By:TLUMSDEN


Date Created:Feb 18, 2025

Date Completed:Feb 18, 2025

Parent Job:197660231-001 (2501241076)

Specific Location:1020SF- 655 W ILLINOIS AVE - LED ILLUMINATED MULTI TENANT PYLON

Details	
Customer	Weatherspoon, Annette 2090 McGee Lane Lewisville, TX 75077 (972) 219-2495 aweatherspoon@sscsigns.com
Fee Amount	
FeeType	
Staff Email	SCOTT.ROPER@DALLAS.GOV

Details	
Fees (EXT): 2502180023 5BN - Special Provision Sign District fee \$397.00 Adjusted:\$0.00 Paid:\$397.00 Owed:\$0.00	
	Customer: Weatherspoon, Annette 2090 McGee Lane Lewisville, TX 75077 (972) 219 2495
Fees (EXT): 2502180023 Technology Fee \$15.00 Adjusted:\$0.00 Paid:\$15.00 Owed:\$0.00	


				Fees
Description	Posted Date	Amount	Tax	Total
5BN - Special Provision Sign District fee		\$397.00	\$0.00	\$397.00
				\$0.00
Receipt Number: 948866 \$412.00		(\$397.00)	\$0.00	(\$397.00)
Technology Fee		\$15.00	\$0.00	\$15.00
				\$0.00
Receipt Number: 948866 \$412.00		(\$15.00)	\$0.00	(\$15.00)
				\$0.00

Processes

Assigned To	Status	Outcome	Scheduled		Actual	
			Start	Completed	Start	Completed
System Fee Collection						
SICASHIERINTERFACE	Complete	Collected				Feb 18, 2025 16:25:45
Auto generated System Fee Collection						



SIGN SCHEDULE			
SIGN	SIGN TYPE	QTY	ITEM DESCRIPTION
09	P.1020	1	D/F ILLUMINATED PYLON W/ TENANT PANELS
17	P.1020	1	D/F ILLUMINATED PYLON W/ TENANT PANELS
11	MON.110	1	D/F ILLUMINATED MONUMENT
18	MON.110	1	D/F ILLUMINATED MONUMENT
14	MON.60	1	D/F ILLUMINATED MONUMENT
15	MON.60	1	D/F ILLUMINATED MONUMENT



BRUXMOR HOLDINGS 12 SPE, LLC
2333 DREXTON DR., SUITE 5100

SIGN SCHEDULE			
SIGN	SIGN TYPE	QTY	ITEM DESCRIPTION
17	P.1020	1	D/F ILLUMINATED PYLON W/ TENANT PANELS



LOCATION MAP
SCALE: 1" = 500'

ANY TRAFFIC CONTROL PLAN (TCP) MUST BE SUBMITTED TO THE DEPARTMENT OF PUBLIC WORKS FOR REVIEW AND APPROVAL BY TRAFFIC SAFETY COORDINATORS PRIOR TO START OF CONSTRUCTION. NO TRAFFIC LANE OR SIDEWALK ALONG ANY PUBLIC STREET OR ALLEY IS TO BE CLOSED WITHOUT FIRST OBTAINING THE APPROPRIATE PERMIT(S). CLOSURE OF ANY TRAFFIC LANE MUST BE RESTRICTED TO THE HOURS OF 9:30 AM, TO 3:30 PM, WORKDAYS (HOURS MAY DIFFER IN SCHOOL ZONES). CONTRACTOR MUST CALL (214) 948-4290 TO REQUEST APPROVAL OF TCP AND TO OBTAIN A RIGHT-OF-WAY PERMIT.

ALL EXISTING AND PROPOSED SIDEWALKS AND BARRIER-FREE RAMPS COMPLY WITH TEXAS ACCESSIBILITY STANDARDS (TAS) AND AMERICANS WITH DISABILITIES ACT (ADA).

BENCHMARKS & CONTROL POINTS

BM#1
X-CUT ON THE BACK OF CURB FOUND ON EAST END OF PARKING ISLAND, ON THE WEST LINE OF WYNNEWOOD DRIVE, APPROXIMATELY 103 FEET FROM THE MOST WESTERLY CORNER OF 1 STORY MASONRY BUILDING (655 W ILLINOIS AVENUE) AND APPROXIMATELY 44 FEET NORTHWEST FROM A SANITARY SEWER MANHOLE, AS SHOWN.
ELEVATION = 548.40'
BM#2
X-CUT ON THE BACK OF CURB FOUND ON THE WEST LINE OF WYNNEWOOD PLAZA APPROXIMATELY 50 FEET SOUTH EAST OF A LIGHT POLE AND APPROXIMATELY 72 FEET SOUTH EAST FROM A SECOND LIGHT POLE, AS SHOWN.
ELEVATION = 528.12'

POINT	NORTHING	EASTING	ELEV.	DESCRIPTION
1				
2				

REVISIONS

REV NO.	DATE	DESCRIPTION	BY
1	12/04/2024	DWU - REV 1 PUBLIC WATER/WASTEWATER	SELGK



BOHLER // BOHLER ENGINEERING TX, LLC (TBP# FIRM # 18065)
ENGINEER: MATTHIAS HAUBERT, P.E.
ADDRESS: 2600 NETWORK BLVD, SUITE 310, FRISCO, TX 75034
EMAIL: MHAUBERT@BOHLERENG.COM
PHONE (D): 469-458-7300

PLAT NO.	PERMIT NO.	DEV ENGINEERING TRACKING NOS.
S178-004	2410231068	DP24-235

DIMENSION CONTROL OVERALL PLAN					
WYNNEWOOD VILLAGE - PETSMART					
655 W. ILLINOIS AVENUE					
DEVELOPMENT SERVICES					
CITY OF DALLAS, DALLAS COUNTY, TEXAS					
REVIEW BY:	DRAWN BY:	DATE	FILE	NUMBER	SHEET
MH	KD/ML	09/16/2024	DP24	235	C05.01


SPECIFICATIONS

1. 3" DEEP FACE LIT ILLUMINATED CABINET W/ 1" TRIMCAP. 3/16" 7328 WHITE ACRYLIC W/ FIRST SURFACE VINYL. WHITE LED ILLUMINATION.
2. FABRICATED ALUMINUM BAND W/ LED ILLUMINATED LIGHT BAR.
3. FABRICATED ALUMINUM CABINET W/ .125" ROUTED OUT DESIGN OVERLAY, NON-ILLUMINATED
4. FABRICATED ALUMINUM CABINET W/ 4" RETAINERS AND 3" DIVIDER BARS. 3/16" WHITE LEXAN FACES W/ FIRST SURFACE VINYL. WHITE LED ILLUMINATION.
5. LED ILLUMINATED LIGHT BAR.
6. TEXTURED CONCRETE BASE.



Electrical Load
(25.4) Amps @ 110-277 Volts
Electrical Req'mts
(2) 20 Amp/120 Volt Circuits


Note: This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code 2024 and/or other applicable local codes. This includes proper grounding and bonding of the sign.




PLAN VIEW
SCALE: 3/8" = 1'-0"




Quad Row or Triple Row Recommended



116mmx40mm Recessed 100mm Wide LED Strip Channel With Flange



FRONT ELEVATION
SCALE: 3/8" = 1'-0"
(2 Required)
Sign # : 001 & 002




SIDE VIEW
SCALE: 3/8" = 1'-0"

Note: This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code 2024 and/or other applicable local codes. This includes proper grounding and bonding of the sign.



SIGN SPECIFICATIONS - SIGN CABINET

CABINET MATERIAL: 2x2 Sq Tube
CABINET DEPTH: 40"
SIDE POLE CLADDING: 2x2 Alum. Ang
CABINET DEPTH: 34"
CABINET FINISH: Black Satin
FACE MATERIAL: 177" WH. POLYCARB.
SPECS: HANGING BARS TOP & BOTTOM
RETAINING BAND MATERIAL: 3x3
RETAINING BAND FINISH: BLACK SATIN
INTERNAL ILLUMINATION: S/F PRINCIPAL HE STIK
BALLAST / POWER SUPPLY: 24 VOLT
INSTALL METHOD: SECTIONS


1.92 x6 .2wall 13-61-245
ALUMINUM CHANNEL




SIGNCOMP
2 3/4" Divider Part # 2128
w/ Part # 5300 CLIPS
4 PER DIVIDER




ROUTED LOOVER - SIDE VIEW
SCALE: 3/8" = 1'-0"



SECTION 1 - FRONT ELEVATION
SCALE: 3/8" = 1'-0" (2 Required)
Sign # : 009 & 017



CLADDED POLE - SIDE VIEW
SCALE: 3/8" = 1'-0"




DIVIDER NOTCH DETAIL
SCALE: NTS

Note: This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code 2024 and/or other applicable local codes. This includes proper grounding and bonding of the sign.


SIGN SPECIFICATIONS - SIGN CABINET

CABINET MATERIAL: 2x2 Sq Tube
CABINET DEPTH: 40"
SIDE POLE CLADDING: 2x2 Alum. Ang
CABINET DEPTH: 34"
CABINET FINISH: Black Satin
FACE MATERIAL: 177" WH. POLYCARB.
SPECS: HANGING BARS TOP & BOTTOM
RETAINING BAND MATERIAL: 3x3
RETAINING BAND FINISH: BLACK SATIN
INTERNAL ILLUMINATION: S/F PRINCIPAL HE STIK
BALLAST / POWER SUPPLY: 24 VOLT
INSTALL METHOD: SECTIONS




1.92 x6 .2wall 13-61-245
ALUMINUM CHANNEL



SIGNCOMP
2 3/4" Divider Part # 2128
w/ Part # 5300 CLIPS
4 PER DIVIDER



3'-4" OAW
3'-1 1/2" FRAME







CLADDED POLE - SIDE VIEW
SCALE: 3/8" = 1'-0"

Note: This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code 2024 and/or other applicable local codes. This includes proper grounding and bonding of the sign.

CLIENT NAME	ADDRESS	SUB NAME/SITE NAME	ACCT. REP	DESIGNER	PROJECT MANAGER	DATE	PAGE NUMBER	OPPORTUNITY NUMBER	SALES ORDER NUMBER
Brixmor Property Group	655 W Illinois Ave., Dallas, TX US 75224	Wynnewood Village	PJ	DAA	XX	5/22/24	7 OF 21	OP011298-7	SO#12827-5

SIGN SPECIFICATIONS - SIGN CABINET

CABINET MATERIAL: 2x2 Sq Tube
CABINET DEPTH: 40"
SIDE POLE CLADDING: 2x2 Alum. Ang
CABINET DEPTH: 34"
CABINET FINISH: Black Satin
FACE MATERIAL: 177" WH. POLYCARB.
SPECS: HANGING BARS TOP & BOTTOM
RETAINING BAND MATERIAL: 3x3
RETAINING BAND FINISH: BLACK SATIN
INTERNAL ILLUMINATION: S/F PRINCIPAL HE STIK
BALLAST / POWER SUPPLY: 24 VOLT
INSTALL METHOD: SECTIONS



ROUTED LOOVER - SIDE VIEW
SCALE: 3/8" = 1'-0"

SECTION 3
FRONT ELEVATION
SCALE: 3/8" = 1'-0"
(2 Required)
Sign # : 009 & 017

CLADDED POLE - SIDE VIEW
SCALE: 3/8" = 1'-0"


Note: This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code 2024 and/or other applicable local codes. This includes proper grounding and bonding of the sign.

SIGN SPECIFICATIONS - SIGN CABINET

CABINET MATERIAL: 2x2 Sq Tube
CABINET DEPTH: 40"
SIDE POLE CLADDING: 2x2 Alum. Ang
CABINET DEPTH: 34"
CABINET FINISH: Black Satin
FACE MATERIAL: 177" WH. POLYCARB.
SPECS: HANGING BARS TOP & BOTTOM
RETAINING BAND MATERIAL: 3x3
RETAINING BAND FINISH: BLACK SATIN
INTERNAL ILLUMINATION: S/F PRINCIPAL HE STIK
BALLAST / POWER SUPPLY: 24 VOLT
INSTALL METHOD: SECTIONS

1.92 x6 .2wall 13-61-245
ALUMINUM CHANNEL

WELDED 2x2 SQ TUBE FRAME
SIGNCOMP
2 3/4" Divider Part # 2128
w/ Part # 5300 CLIPS
4 PER DIVIDER




PLAN VIEW
SCALE: 3/8" = 1'-0"

WELDED NUTS FOR ASSEMBLY
10.75" DIA STL POLE SUPPORT

REMOVABLE SIDE FOR
WELDED & ACCESS TO
WELDED NUTS


WELDED 2 x 2 ALUMINUM ANGLE FRAME

3x3 ALUMINUM RETAINERS
REMOVABLE BOTH SIDES




HANGING BAR DETAIL
SCALE: FULL


REMOVABLE
ACRYLIC LENS
W/ DIGITALLY PRINTED
LIME GREEN



DIVIDER NOTCH DETAIL
SCALE: NTS




SECTION 4
FRONT ELEVATION
SCALE: 3/8" = 1'-0"
(2 Required)
Sign # : 009 & 017



CLADDED POLE - SIDE VIEW
SCALE: 3/8" = 1'-0"

ROUTED LOOVER -
SIDE VIEW
SCALE: 3/8" = 1'-0"


Note: This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code 2024 and/or other applicable local codes. This includes proper grounding and bonding of the sign.



TOP SECTION THRU

SCALE: 3" = 1'-0"
Sign # : 009 & 017

Note: This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code 2024 and/or other applicable local codes. This includes proper grounding and bonding of the sign.



PLAN VIEW
SCALE: 1/2" = 1'-0"

Date:	12/23/24	City, State:	Dallas, TX	SHEET:	1 OF 3
Client:	SSC Signs & Lighting	Overall Height:	45'-4"	Sean M. McFarland, P.E.	
Sign:	Wynnewood Village #SO12827	Wind Speed	105 mph	McFarland Engineering	

Sign Description	655 W Illinois Ave	Table of Contents
------------------	--------------------	-------------------

# Columns: 2	UPDATED ARTWORK & SUPPORT	Content:	Page
ME Job: 69512 Sns 09/17		Design Loads.	1
	ULTIMATE LOADS / 30 PSF	Support Design.	1-2
Height: 45'-4"	42 KSI STEEL PIPE	Foundation Design / General Notes	3
Width: 26'-0"			


Structural Variables and Code Loading Specifications

Cabinet Type:	Miscellaneous	Code:	2021 IBC W/ Amends
Structural Section:	Steel Pipe - 42000psi	Wind Speed:	105
Number of Zones:	5	Wind Exposure:	C

Wind Loads Per ASCE 7-16

Sign Sections:

Zone	Cabinet Wt. Per Sq. Ft.	Weight	Transition (Y or N)
1	15	40.5 #/FT	
2	5	40.5 #/FT	
3	20	40.5 #/FT	y
4	20	104.1 #/FT	
5	35	104.1 #/FT	y
6	0		
7	0		
8	0		



Geometry:

Zone	Top Elevation	Height	* Approx. Width Width	Pressure	Force	Approx. Weight
1	45.33 FT	5.33 FT	8.25 FT *	30.00 PSF	1.32 K	1,091 #
2	40.00 FT	2.50 FT	14.56 FT *	30.00 PSF	1.09 K	384 #
3	37.50 FT	13.17 FT	20.25 FT *	30.00 PSF	8.00 K	6,400 #
4	24.33 FT	19.75 FT	20.25 FT *	30.00 PSF	12.00 K	12,112 #
5	4.58 FT	4.58 FT	22.50 FT *	30.00 PSF	3.09 K	4,561 #

Total Wind Force = 25.50 K 24,548 #

Date:	12/23/24	City, State:	Dallas, TX	SHEET:	2 OF 3
Client:	SSC Signs & Lighting	Overall Height:	45'-4"	Sean M. McFarland, P.E.	
Sign:	Wynnewood Village #SO12827	Wind Speed	105 mph	McFarland Engineering	

655 W Illinois Ave

ME Job: 69512 Sns 09/17

Moments at Transitions:

Zone	Lateral Force	5 Mom. Arm	3 Mom. Arm
1	1.32 K	42.67 FT	18.34 FT
2	1.09 K	38.75 FT	14.42 FT
3	8.00 K	30.92 FT	6.59 FT
4	12.00 K	14.46 FT	
5	3.09 K	2.29 FT	
		526.45 K-FT	92.62 K-FT

Section Properties:	113.95 IN^3	20.05 IN^3	.00 IN^3	.00 IN^3	.00 IN^3	.00 IN^3
----------------------------	-------------	------------	----------	----------	----------	----------

Structural Sections to be used:

Zone	Option	Pipes Dim.	Wall t.	Weight	Sxx	d/t	Sxx Req'd
5	Pipes	20.00 IN	0.500 IN	104.1 #/FT	136.95 IN^3	40.00	113.95 IN^3
3	Pipes	10.75 IN	0.365 IN	40.5 #/FT	28.11 IN^3	29.45	20.05 IN^3
	Base Pipe Options	24.00 IN	0.375 IN	94.6 #/FT	152.18 IN^3	64.00	113.95 IN^3

Structure Required

# Req'd	Size	Wall Thickness
2	20.00 IN	0.500 IN
2	10.75 IN	0.365 IN

Date: 12/23/24	City, State: Dallas, TX	SHEET: 3 OF 3
Client: SSC Signs & Lighting	Overall Height: 45'-4"	Sean M. McFarland, P.E.
Sign: Wynnewood Village #SO12827	Wind Speed 105 mph	McFarland Engineering

655 W Illinois Ave

ME Job: 69512 Sns 09/17

Two Pier Footings

Pier Footing Design:

Select the footing and soil type:

$$d = A / 2 * (1 + (1 + (4.36 * h) / A)^{1/2})$$

where $A = (2.34 * P) / (S1 * b)$

Footing:	Round	▼
Vert. Soil Bearing (psf):	1500	▼
Lat. Soil Bearing (psf):	150	▼

Mmax =	263,227 #-FT
Pmax (Lateral) =	12,751 #
LSBP =	150 PCF
S1 =	1,200 PCF X d
d =	4.000 FT For use with Round Footing
A =	6.22 FT^2
h =	20.644 FT
d =	15.336 FT

USE:	4.00 FT. RND. X	15.50 FT DEEP PIERS W/ 22'-6" (W) X 3'-0" (L) X 63" (D)
SLAB w/ #5's @ 12" O.C. FULL SIX-SIDED CAGE		
4-7" ABOVE GRADE.		

Soil Bearing Check:

DLmax =	24,548 LBS
Area of Footing =	12.57 FT^2
Actual SBP =	1,953 PSF
Allowable SBP =	4,350 PSF (Includes code allowed 20% increase for every foot of footing below 12" into natural grade.)

1,953 PSF <	4,350 PSF	THEREFORE OK
-------------	-----------	--------------


General Notes

- Contractor shall verify all dimensions and conditions on job site
- Structural steel pipe shall conform to ASTM A53 grade B type E or S, Fy=35 ksi min.
- Structural steel tube shall conform to ASTM A500 grade B, Fy=46 ksi min.
- Structural steel shapes and plates shall conform to ASTM A36.
- Welding shall conform to AISC specs or local codes and performed by certified welder using arc process E70XX electrodes.
- Isolate Aluminum from Steel
- All bolt holes to be drilled or punched.
- 2500 psi (min) 28-day Concrete Compressive Strength
- All electrical work to conform to the requirements of UL48 and section 600 of NEC.
- UL and Data labels required
- Sign to be a minimum of 6-ft horizontal & 12-ft vertical from high voltage wires.
- If there is no stub pipe to be used in the top cabinet, the supporting member immediately below the stub pipe shown can be extended to the top of the uppermost cabinet.
- All Pipe sizes shown are minimum sizes. Pipe with a larger diameter and/or greater Sxx may be substituted
- All structural lengths required are approximations only. Actual length may vary slightly depending on sign cabinet conditions.

ME #: 69512

SIGN - 09 & 17

SIGN 09 AND 17 - P.1020 - D/F ILLUMINATED PYLON W/ TENANT PANELS - QTY: 2



McFarland Engineering

183 Edgewater Ct
Mocksville, NC 27028

Structural Sign Design
&
Engineering Services

Ph: (281) 813-7439
Email: sean@signstructures.com
Web: www.signstructures.com

**WYNNEWOOD VILLAGE
SO12827**

Address: 655 W ILLINOIS AVE
City/State: DALLAS, TX

Client: SSC SIGNS & LIGHTING

ENGINEERING OF
VERTICAL SUPPORT AND
FOUNDATION ONLY.
NO CABINET ENGINEERING
PROVIDED OR IMPLIED.

Initial Drawing: (69451) DS
Revised Artwork and Supports: (69512) DS

22

DocuSigned by
Sean M. McFarland
18DD47...CE5405

SEAN M. MCFARLAND
88579
LICENSED PROFESSIONAL ENGINEER


The electronic seal appearing on this document was
authorized by Sean M. McFarland, PE on December 23, 2024.

Date: 12-23-2024
Sheet #: 1 OF 6

NC Firm Registration: F-1136
Texas Expiration Date: 6/30/2025
Texas Firm Registration: F-6996

ME #: 69512

SIGN - 09 & 17




TRANSITION TABLE FOR SUPPORT OPTION: 1

#	UP \varnothing	LP \varnothing	D	R1	R1(DIA.)	R2	R2(DIA.)	R1W	R2W
1	10.75"	20"	2.5'	3/4"	21"	1/2"	18.75"	5/16"	5/16"

TRANSITION TABLE FOR SUPPORT OPTION: 2

#	UP \varnothing	LP \varnothing	D	R1	R1(DIA.)	R2	R2(DIA.)	R1W	R2W
1	10.75"	24"	3.0'	1"	25"	5/8"	23"	5/16"	5/16"



183 Edgewater Ct
Mocksville, NC 27028

Structural Sign Design
&
Engineering Services

Ph: (281) 813-7439
Email: sean@signstructures.com
Web: www.signstructures.com

WYNNEWOOD VILLAGE
SO12827

Address: 655 W ILLINOIS AVE
City/State: DALLAS, TX

Client: SSC SIGNS & LIGHTING

ENGINEERING OF
VERTICAL SUPPORT AND
FOUNDATION ONLY.
NO CABINET ENGINEERING
PROVIDED OR IMPLIED.

Initial Drawing: (69451) DS
Revised Artwork and Supports: (69512) DS
23

DocuSigned by

Sean M. McFarland

18DD4704DCE5405



The electronic seal appearing on this document was
authorized by Sean M. McFarland, PE on December 23, 2024.

Date: 12-23-2024

Sheet #: 2 OF 6

NC Firm Registration: F-1136
Texas Expiration Date: 6/30/2025
Texas Firm Registration: F-6996