FIELD NOTES DESCRIBING 3,564,169 SQ. FT. [81.822 ACRES] LAND TO BE ACQUIRED IN CITY BLOCKS 6911, 5993 AND 6632 FROM WOODY BRANCH I-35, LLC

Being all that certain 81.822 acre tract of land situated in the William E. Sloan Survey, Abstract No. 1283 and the Paul Narboe Survey, Abstract No. 1077, and in City Blocks 6911, 5993 and 6632 in the City of Dallas, Dallas County, Texas, and being all of those certain tracts of land conveyed to Woody Branch I—35, LLC by Special Warranty Deed with Vendor's Lien, Tract I (called 43.835 acres) and Tract II (called 18.383 acres), recorded in Instrument Number 201500247524, Official Public Records, Dallas County, Texas, and being the remainder of that certain tract of land to Corinth I—35 & Ledbetter, LLC by Special Warranty Deed with Vendor's Lien, Tract 3 (called 43.6316 acres), recorded in Instrument Number 20070178877, said Official Public Records, and being all of those certain tracts of land conveyed to Woody Branch I—35, LLC by Special Warranty Deed, Tract I and Tract II, recorded in Instrument Number 201700303727, said Official Public Records, said 81.822 acre tract of land being more particularly described as follows:

BEGINNING at a concrete monument found for the most easterly northeast corner of the herein described tract, same being the northeast corner of said Woody Branch Tract II (Instrument Number 201500247524), same being the southeast corner of Lot 7, Block 10/5993, Glen Oaks Center Addition, an addition to the City of Dallas, Dallas County, Texas, according to the plat thereof recorded in Instrument Number 201400292029, said Official Public Records, same being in the west right-of-way line of R.L. Thornton Freeway (Interstate Highway No. 35E) (a variable width right-of-way) (south bound service road);

THENCE South 01 deg. 11 min. 49 sec. East, along the common line of said Woody Branch Tract II (Instrument Number 201500247524), and the west right-of-way line of said R.L. Thornton Freeway, a distance of 194.32 feet to a broken concrete monument found for an angle point;
THENCE South 07 deg. 49 min. 58 sec. East, continuing along the common line of said Woody Branch Tract III.

THENCE South 07 deg. 49 min. 58 sec. East, continuing along the common line of said Woody Branch Tract II (Instrument Number 201500247524), and the west right—of—way line of said R.L. Thornton Freeway, a distance of 549.41 feet to a concrete monument found for the southeast corner of said Woody Branch Tract II (Instrument Number 201500247524), same being the northeast corner of that certain tract of land to Jose Ramon Reyes, by deed recorded in Volume 2003197, Page 7363, Deed Records, Dallas County, Texas; THENCE North 89 deg. 34 min. 44 sec. West, along the common line of said Woody Branch Tract II (Instrument Number 201500247524), and said Reyes tract, passing the northwest corner of said Reyes tract, same being the northeast corner of that certain tract of land to Gerardo Mayela Molina Jimenez, Tract 2, by deed recorded in Instrument Number 201900329757, aforesaid Official Public Records, and continuing along the common line of said Woody Branch Tract II (Instrument Number 201500247524), and said Jimenez tract, a total distance of 1375.17 feet to a 1 inch pipe found for the southwest corner of said Woody Branch Tract II (Instrument Number 201500247524), same being an internal corner of the herein described tract, same being the northeast corner of said Jimenez tract, same being in the east line of aforesaid Woody Branch Tract I (Instrument Number 201500247524);

THENCE South 00 deg. 57 min. 52 sec. West, along the common line of said Woody Branch Tract I (Instrument Number 201500247524), and said Jimenez tract, a distance of 267.47 feet to the southwest corner of said Jimenez tract, same being the northwest corner of aforesaid Woody Branch Tract II (Instrument Number 201700303727);

Basis of Bearing — Bearings of lines shown hereon refer to Grid North of the Texas Coordinate System of 1983 (North Central Zone 4202; NAD83 (2011) Epoch 2010) as derived locally from Allterra Central's Continuously Operating Reference Stations (CORS) via Real Time Kinematic (RTK) Methods. An average Combination Factor of 1.00012 was used to scale grid coordinates and distances to surface

P-3476 FN

10/27/2020

1'' = 250'

A.R.M..

T.R.M.

J.B.W.

SHEET 1 OF 14

JOB NO .:

REVISION

SCALE:

FIELD:

DRAWN:

CHECKED:

DATE:

PEISER	&	MA	ANKIN
SURVE			

www.peisersurveying.com

1604 HART STREET SOUTHLAKE, TEXAS 76092 817—481—1806 (0)

tmankin@peisersurveying.com

Texas Society of Professional Surveyors

FIRM No. 100999-00

Member Since 1977

The undersigned, Registered Professional Land Surveyor, hereby certifies that this plat of survey accurately sets out the metes and bounds of the easement tract described.

TIMOTHY B. MANKIN



TIMOTHY R. MANKIN
Registered Professional Land Surveyor No. 6122



COMMERCIAL • RESIDENTIAL BOUNDARIES • TOPOGRAPHY MORTGAGE

FIELD NOTES DESCRIBING 3,564,169 SQ. FT. [81.822 ACRES] LAND TO BE ACQUIRED IN CITY BLOCKS 6911, 5993 AND 6632 FROM WOODY BRANCH I-35, LLC

(LEGAL DESCRIPTION CONTINUED)

THENCE South 89 deg. 16 min. 05 sec. East, along the common line of said Woody Branch Tract II (Instrument Number 201700303727), and said Jimenez tract, passing the northeast corner of said Woody Branch Tract II (Instrument Number 201700303727), same being the northwest corner of aforesaid Woody Branch Tract I (Instrument Number 201700303727), and continuing along the common line of said Woody Branch Tract I (Instrument Number 201700303727), and said Jimenez tract, a total distance of 468.07 feet to the northeast corner of said Woody Branch Tract I (Instrument Number 201700303727), same being the northwest corner of a 20 foot alley, as dedicated on plat of Subdivision Part of Block 6632, an addition to the City of Dallas, Dallas County, Texas, according to the plat thereof recorded in Volume 161, Page 2073. Map Records, Dallas County, Texas;

THENCE South 00 deg. 11 min. 33 sec. West, along the common line of said Woody Branch Tract I (Instrument Number 201700303727), and said 20 foot alley, passing the southwest corner of said 20 foot alley, same being the northwest corner of Lot 1—C, said Subdivision Part of Block 6632, and continuing along the common line of said Woody Branch Tract I (Instrument Number 201700303727), and said Lot 1—C, a total distance of 271.59 feet to the southeast corner of said Woody Branch Tract I (Instrument Number 201700303727), same being the southwest corner of said Lot 1-C, same being in the north right-of-way line of Hammerking Road (a 60 foot right-of-way);

THENCE North 89 deg. 16 min. 24 sec. West, along the common line of said Woody Branch Tract I (Instrument Number 201700303727), and the north right-of-way line of said Hammerking Road, passing the southwest corner of said Woody Branch Tract I (Instrument Number 201700303727), same being the southeast corner of aforesaid Woody Branch Tract II (Instrument Number 201700303727), and continuing along the common line of said Woody Branch Tract II (Instrument Number 201700303727), and the north right-of-way line of said Hammerking Road, a total distance of 471.73 feet to the southwest corner of said Woody Branch Tract II (Instrument Number 201700303727), same being the northwest corner of said Hammerking Road, same being in the east line of aforesaid Woody Branch Tract I (Instrument Number 201500247524): THENCE South 00 deg. 57 min. 52 sec. West, along the common line of said Woody Branch Tract 1 (Instrument Number 201500247524), and the west line of said Hammerking Road, a distance of 60.00 feet to a 5/8 inch iron rod found for the southwest corner of said Hammerking Road, same being the northwest corner of that certain tract of land to Jose Perez and Theresa Perez, Tract I, by deed recorded in Volume 98151, Page 4595, aforesaid Deed Records;

THENCE South 00 deg. 38 min. 33 sec. West, along the common line of said Woody Branch Tract I (Instrument Number 201500247524), and said Perez tract, a distance of 256.64 feet to a 5/8 inch iron rod found for the southwest corner of said Perez tract, same being the northwest corner of Open Space "A". Block D/6633, as dedicated on plat of Villa Del Mar Estates, an addition to the City of Dallas, Dallas County, Texas, according to the plat thereof recorded in Volume 2005074, Page 14, aforesaid Deed Records;

Basis of Bearing - Bearings of lines shown hereon refer to Grid North of the Texas Coordinate System of 1983 (North Central Zone 4202; NAD83 (2011) Epoch 2010) as derived locally from Allterra Central's Continuously Operating Reference Stations (CORS) via Real Time Kinematic (RTK) Methods. An average Combination Factor of 1.00012 was used to scale grid coordinates and distances to surface

SHEET 2 OF 14

JOB NO.:	P-3476 FN
DATE:	10/27/2020
REVISION	
SCALE:	1" = 250'
FIELD:	A.R.M
DRAWN:	T.R.M.
CHECKED:	J.B.W.

PEISER & MANKIN SURVEYING. LLC

www.peisersurveying.com FIRM No. 100999-00

1604 HART STREET SOUTHLAKE, TEXAS 76092 817-481-1806 (0)

tmankin@peisersurveying.com

Texas Society of Professional Surveyors

Member Since 1977

MS LLC

sional Land Surveyor No. 6122

The undersigned, Registered Professional Land Surveyor, hereby certifies that this plat of survey

accurately sets out the metes and

bounds of the easement tract

described.

TIMOTHY R. MANKIN

COMMERCIAL RESIDENTIAL BOUNDARIES · TOPOGRAPHY MORTGAGE

FIELD NOTES DESCRIBING 3,564,169 SQ. FT. [81.822 ACRES] LAND TO BE ACQUIRED IN CITY BLOCKS 6911, 5993 AND 6632 FROM WOODY BRANCH I-35, LLC

(LEGAL DESCRIPTION CONTINUED)

THENCE South 00 deg. 29 min. 39 sec. West, along the common line of said Woody Branch Tract I (Instrument Number 201500247524), and said Open Space "A", a distance of 486.12 feet to a point from which a 1/2 inch iron rod found bears North 00 deg. 36 min. East, 1.17 feet for corner, same being the southeast corner of said Woody Branch Tract I (Instrument Number 201500247524), same being in the north line of Block 1/6634, Beckley Heights, an addition to the City of Dallas, Dallas County, Texas, according to the plat thereof recorded in Volume 9, Page 293, aforesaid Map Records;

THENCE North 89 deg. 35 min. 18 sec. West, along the common line of said Woody Branch Tract I (Instrument Number 201500247524), and the north line of said Block 1/6634, a distance of 1185.34 feet to a 1 inch pipe found for an angle point, same being the northwest corner of said Beckley Heights Addition, same being in a east line of Woodland Canyon, Seventh Section, an Addition to the City of Dallas, Dallas County, Texas according to the plat thereof recorded in Volume 67210, Page 1062, aforesaid Deed Records;

THENCE along the common line of said Woody Branch Tract I (Instrument Number 201500247524) and said Woodland Canyon Seventh Section, as follows:

North 10 deg. 52 min. 44 sec. West, a distance of 7.08 feet to a 1 inch pipe found; North 89 deg. 49 min. 08 sec. West, a distance of 503.97 feet to an angle point;

North 35 deg. 48 min. 48 sec. West, a distance of 5.15 feet to a 5/8 inch iron rod found for the northwest corner of said Woodland Canyon Seventh Section, same being in the south right-of-way line of Hunters View Lane (a 50 foot right-of-way), same being the beginning of a non-tangent curve to the left having a radius of 243.12 feet, a delta angle of 10 deg. 30 min. 17 sec., and a chord bearing and distance of North 60 deg. 31 min. 35 sec. East, 44.51 feet;

THENCE in a northeasterly direction, along the common line of said Woody Branch Tract I (Instrument Number 201500247524), and said Hunters View Lane, and along said non-tangent curve to the left, an arc distance of 44.57 feet to an internal corner of said Woody Branch Tract I (Instrument Number 201500247524), same being the southeast corner of said Hunters View Lane;

THENCE North 34 deg. 34 min. 58 sec. West, continuing along the common line of said Woody Branch Tract I (Instrument Number 201500247524), and said Hunters View Lane, a distance of 50.00 feet to the northeast corner of said Hunters View Lane, same being the southeast corner of Lot 27, Block 12/6909, Woodland Canyon, 12th Section, an addition to the City of Dallas, Dallas County, Texas, according to the plat thereof recorded in Volume 69239, Page 2060, aforesaid Deed Records;

THENCE North 36 deg. 40 min. 08 sec. West, along the common line of said Woody Branch Tract I (Instrument Number 201500247524), an said Lot 27, a distance of 182.32 feet to a point in the approximate centerline of Five Mile Creek, same being the most westerly corner of said Woody Branch Tract I (Instrument Number 201500247524), same being the north corner of said Lot 27, same being in the southeasterly line of Block 32/6911, Glen Oaks Addition No. 10, an addition to the City of Dallas, Dallas County, Texas, according to the plat thereof recorded in Volume 46, Page 111, aforesaid Map Records;

Basis of Bearing — Bearings of lines shown hereon refer to Grid North of the Texas Coordinate System of 1983 (North Central Zone 4202; NAD83 (2011) Epoch 2010) as derived locally from Allterra Central's Continuously Operating Reference Stations (CORS) via Real Time Kinematic (RTK) Methods. An average Combination Factor of 1.00012 was used to scale grid coordinates and distances to surface

The undersigned, Registered Professional Land Surveyor, hereby certifies that this plat of survey accurately sets out the metes and bounds of the easement tract described

TIMOTHY R. MANKIN

FIRM No. 100999-00

Registered Professional Land Surveyor No. 6122

SHEET 3 OF 14

JOB NO.	P-34/6 FN	PEIS
DATE:	10/27/2020	SUF
REVISION		www.peiser
SCALE:	1" = 250'	1604 HART ST SOUTHLAKE, T
FIELD:	A.R.M	817-481-180
DRAWN:	T.R.M.	
CHECKED:	J.B.W.	tmankin@peis

PEISER & MANKIN RVEYING. LLC

surveying.com TREET TEXAS 76092 06 (0)

sersurveying.com



COMMERCIAL BOUNDARIES

· RESIDENTIAL · TOPOGRAPHY MORTGAGE

FIELD NOTES DESCRIBING 3,564,169 SQ. FT. [81.822 ACRES] LAND TO BE ACQUIRED IN CITY BLOCKS 6911, 5993 AND 6632 FROM WOODY BRANCH I-35, LLC

(LEGAL DESCRIPTION CONTINUED)

THENCE along the common line of said Woody Branch Tract I (Instrument Number 201500247524), and said Glen Oaks Addition No. 10, and generally along said Five Mile Creek as follows: North 57 deg. 38 min. 32 sec. East, a distance of 80.71 feet to an angle point in creek; North 39 deg. 35 min. 32 sec. East, passing the southeast corner of said Glen Oaks Addition No. 10, same being the southwest corner Block 32/6911, Glen Oaks Addition No. 13, an addition to the City of Dallas, Dallas County, Texas, according to the plat thereof recorded in Volume 189, Page 1984, said Map Records, and continuing along the common line of said Woody Branch Tract I (Instrument Number 201500247524), and said Glen oaks Addition No. 13, a total distance of 162.95 feet to an angle point in creek; THENCE continuing along the common line of said Woody Branch Tract I (Instrument Number 201500247524), and said Glen Oaks Addition No. 13, and generally along said Five Mile Creek as follows: North 85 deg. 19 min. 32 sec. East, a distance of 109.18 feet to an angle point in creek; North 67 deg. 13 min. 32 sec. East, a distance of 268.85 feet to an angle point in creek; North 19 deg. 36 min. 32 sec. East, a distance of 184.50 feet to an angle point in creek; North 61 deg. 02 min. 32 sec. East, a distance of 130.10 feet to an angle point in creek; North 38 deg. 39 min. 32 sec. East, a distance of 276.20 feet to an angle point in creek; North 33 deg. 16 min. 28 sec. West, a distance of 161.90 feet to an angle point in creek; North 41 deg. 29 min. 32 sec. East, a distance of 87.90 feet to an angle point in creek; North 56 deg. 39 min. 32 sec. East, a distance of 91.15 feet to an angle point in creek; North 81 deg. 11 min. 32 sec. East, a distance of 195.98 feet to an angle point in creek; North 31 deg. 10 min. 32 sec. East, a distance of 124.95 feet to an angle point in creek; North 44 deg. 20 min. 28 sec. West, a distance of 153.12 feet to an angle point in creek; North 06 deg. 02 min. 28 sec. West, a distance of 61.70 feet to an angle point in creek; North 70 deg. 44 min. 32 sec. East, a distance of 88.18 feet to an angle point in creek; North 58 deg. 57 min. 32 sec. East, a distance of 99.23 feet to an angle point in creek; South 76 deg. 59 min. 28 sec. East, a distance of 83.74 feet to an angle point in creek; North 77 deg. 00 min. 32 sec. East, passing the most easterly corner of said Glen Oaks Addition No. 13, same being the south corner of Lot 32, Block 32/6911, glen Oaks No. 14 Revised, an addition to the City of Dallas, Dallas County, Texas, according to the plat thereof recorded in Volume 68025, Page 881, aforesaid Deed Records, and continuing along the common line of said Woody Branch Tract I (Instrument Number 201500247524), and said Lot 32, a total distance of 83.08 feet to an angle point in creek; THENCE North 42 deg. 51 min. 14 sec. East, continuing along the common line of said Woody Branch Tract I (Instrument Number 201500247524), and said Lot 32, and along said Five Mile Creek, passing the southeast corner of said Lot 32, same being the southwest corner of that certain tract of land to Springfield Properties, LLC, by deed recorded in Instrument Number 201900131279, aforesaid Official Public Records, and continuing along the common line of said Woody Branch Tract I (Instrument Number 201500247524), and said Springfield Properties tract, a total distance of 73.84 feet to an angle point in creek, same being an internal corner of the herein described tract, same being the southeast corner of said Springfield Properties tract, same being the most southerly corner of aforesaid remainder of Tract 3, Corinth I-35 & Ledbetter, LLC;

Basis of Bearing — Bearings of lines shown hereon refer to Grid North of the Texas Coordinate System of 1983 (North Central Zone 4202; NAD83 (2011) Epoch 2010) as derived locally from Allterra Central's Continuously Operating Reference Stations (CORS) via Real Time Kinematic (RTK) Methods. An average Combination Factor of 1.00012 was used to scale grid coordinates and distances to surface

T.R.M.

J.B.W.

SHEET 4 OF 14

SCALE:

FIELD:

DRAWN:

CHECKED:

JOB NO.:	P-3476 FN	PEISER & MANK	(IN	
DATE:	10/27/2020	SURVEYING, LL	C	TIMOTH Registered
REVISION		www.peisersurveying.com	FIRM No.	100999-00

TIMOTHY R. MANKIN Registered Professional Land Surveyor No. 6122

The undersigned, Registered Professional Land Surveyor, hereby certifies that this plat of survey

accurately sets out the metes and

bounds of the easement tract

described.

817-481-1806 (0) tmankin@peisersurveying.com



COMMERCIAL RESIDENTIAL BOUNDARIES TOPOGRAPHY MORTGAGE

FIELD NOTES DESCRIBING 3,564,169 SQ. FT. [81.822 ACRES] LAND TO BE ACQUIRED IN CITY BLOCKS 6911, 5993 AND 6632 FROM WOODY BRANCH I-35, LLC

(LEGAL DESCRIPTION CONTINUED)

THENCE North 34 deg. 42 min. 10 sec. West, departing said Five Mile Creek, and along the common line of said Corinth I—35 & Ledbetter Tract 3, and said Springfield Properties tract, passing the northeast corner of said Springfield Properties tract, same being the most easterly corner of Glen Oaks Boulevard (a 60 foot right—of—way), and continuing along the common line of said Corinth I—35 & Ledbetter Tract 3, and said Glen Oaks Boulevard, a total distance of 349.25 feet to an angle point, same being the most northerly corner of said Glen Oaks Boulevard;

THENCE South 55 deg. 24 min. 23 sec. West, along the common line of said Corinth I-35 & Ledbetter Tract 3, and said Glen Oaks Boulevard, a distance of 8.10 feet to a point in the northeast right-of-way line of

Town Creek Drive (a 50 foot right-of-way);

THENCE North 34 deg. 54 min. 47 sec. West, along the common line of said Corinth I—35 & Ledbetter Tract 3, and the northeast right—of—way line of said Town Creek Drive, a distance of 136.41 feet to the most northerly southwest corner of said Corinth I—35 & Ledbetter Tract 3, same being in the southeast line of a 15 foot alley, as dedicated by Glen Oaks Second Section, an addition to the City of Dallas, Dallas County, Texas, according to the plat thereof recorded in Volume 23, Page 247, aforesaid Map Records;

THENCE along the common line of said Corinth I—35 & Ledbetter Tract 3, and said 15 foot alley as follows: North 54 deg. 48 min. 20 sec. East, a distance of 241.17 feet to an angle point for the beginning of a curve to the left having a radius of 115.00 feet, a delta angle of 38 deg. 00 min. 56 sec., and a chord bearing and distance of North 35 deg. 47 min. 50 sec. East, 74.91 feet;

In a northeasterly direction, and along said curve to the left, an arc distance of 76.30 feet to the end of

said curve;

North 16 deg. 47 min. 20 sec. East, a distance of 122.31 feet to an angle point for the beginning of a curve to the right having a radius of 100.00 feet, a delta angle of 21 deg. 36 min. 50 sec., and a chord bearing and distance of North 27 deg. 35 min. 50 sec. East, 37.50 feet;

In a northeasterly direction, and along said curve to the right, an arc distance of 37.72 feet to the end of

said curve;

North 38 deg. 24 min. 20 sec. East, a distance of 183.54 feet to an angle point;

North 33 deg. 14 min. 35 sec. East, a distance of 99.87 feet to an angle point; North 40 deg. 33 min. 44 sec. East, a distance of 132.43 feet to an angle point, same being the beginning of a curve to the left having a radius of 215.00 feet, a delta angle of 14 deg. 43 min. 56 sec., and a chord bearing and distance of North 33 deg. 11 min. 44 sec. East, 55.13 feet;

In an northeasterly direction, and along said curve to the left, an arc distance of 55.28 feet to the end of

said curve;

North 25 deg. 49 min. 44 sec. East, a distance of 218.33 feet to a point in the west right—of—way dedication of Green Ridge Road, according to the plat of SWBT Green Ridge Addition, thereof recorded in Volume 93191, Page 7014, aforesaid Deed Records, same being the beginning of a non—tangent curve to the left having a radius of 50.00 feet, a delta angle of 250 deg. 57 min. 06 sec., and a chord bearing and distance of North 50 deg. 03 min. 09 sec. East, 81.44 feet;

Basis of Bearing — Bearings of lines shown hereon refer to Grid North of the Texas Coordinate System of 1983 (North Central Zone 4202; NAD83 (2011) Epoch 2010) as derived locally from Allterra Central's Continuously Operating Reference Stations (CORS) via Real Time Kinematic (RTK) Methods. An average Combination Factor of 1.00012 was used to scale grid coordinates and distances to surface

P-3476 FN

10/27/2020

1" = 250'

A.R.M..

T.R.M.

J.B.W.

SHEET 5 OF 14

JOB NO .:

REVISION

SCALE:

FIELD:

DRAWN:

CHECKED:

DATE:

PEISER & MANKIN SURVEYING, LLC

TIMOTHY R. MANKIN
Registered Professional Land Surveyor No. 6122

described.

The undersigned, Registered Professional Land Surveyor, hereby certifies that this plat of survey

accurately sets out the metes and

bounds of the easement tract

www.peisersurveying.com	FIRM No. 100999-0	00
1604 HART STREET SOUTHLAKE, TEXAS 76092 817—481—1806 (0)	Texas Society of Professional Surveyors	T LLC
tmankin@peisersurveying.com	Member Since 1977	COMMERCIAL • RESIDENTIAL BOUNDARIES • TOPOGRAPHY MORTGAGE

FIELD NOTES DESCRIBING 3,564,169 SQ. FT. [81.822 ACRES] LAND TO BE ACQUIRED IN CITY BLOCKS 6911, 5993 AND 6632 FROM WOODY BRANCH 1-35, LLC

(LEGAL DESCRIPTION CONTINUED)

THENCE in a northeasterly direction, and along said non-tangent curve to the left, and along the common line of said Corinth I-35 & Ledbetter Tract 3, and said right-of-way dedication for Green Ridge Road, an arc distance of 219.00 feet to the end of said non-tangent curve, same being in the north line of said right-of-way dedication, same being the most northerly northwest corner of said Corinth I-35 & Ledbetter Tract 3, same being in the south line of Lot 5, Block 10/5993, said SWBT Green Ridge Addition; THENCE South 75 deg. 25 min. 24 sec. East, along the common line of said Corinth 1-35 & Ledbetter Tract 3, and said Lot 5, a distance of 291.02 feet to the most northerly northeast corner of the herein described tract, same being the northeast corner of said Corinth I-35 & Ledbetter Tract 3, same being the most westerly northwest corner of aforesaid Lot 7, Block 10/5993, Glen Oaks Center Addition: THENCE along the common line of said Corinth 1—35 & Ledbetter Tract 3, and said Lot 7 as follows: South 11 deg. 45 min. 06 sec. West, a distance of 254.98 feet to an angle point; South 36 deg. 03 min. 24 sec. East, a distance of 62.09 feet to an angle point; South 11 deg. 45 min. 06 sec. West, a distance of 328.47 feet to an angle point; South 55 deg. 31 min. 28 sec. West, a distance of 73.01 feet to an angle point; South 08 deg. 18 min. 32 sec. East, a distance of 389.64 feet to an angle point in creek for the southeast corner of said Corinth I-35 & Ledbetter Tract 3, same being the southwest corner of said Lot 7, same being in the north line of aforesaid Woody Branch Tract II (Instrument Number 201500247524), same being in the approximate centerline of aforesaid Five Mile Creek; THENCE along the common line of said Woody Branch Tract II (Instrument Number 201500247524), said Lot 7, and generally along said Five Mile Creek as follows: North 51 deg. 26 min. 48 sec. East, a distance of 146.13 feet to an angle point in creek; South 56 deg. 29 min. 12 sec. East, a distance of 198.10 feet to an angle point in creek; North 74 deg. 34 min. 48 sec. East, a distance of 145.00 feet to an angle point in creek; South 45 deg. 08 min. 12 sec. East, a distance of 115.50 feet to an angle point in creek; South 87 deg. 27 min. 12 sec. East, a distance of 116.00 feet to an angle point in creek; North 17 deg. 39 min. 48 sec. East, a distance of 154.10 feet to an angle point in creek; North 58 deg. 12 min. 48 sec. East, a distance of 173.60 feet to an angle point in creek; South 88 deg. 22 min. 51 sec. East, a distance of 197.68 feet to the POINT OF BEGINNING and containing 81.822 acres of computed land, more or less.

Basis of Bearing - Bearings of lines shown hereon refer to Grid North of the Texas Coordinate System of 1983 (North Central Zone 4202; NAD83 (2011) Epoch 2010) as derived locally from Allterra Central's Continuously Operating Reference Stations (CORS) via Real Time Kinematic (RTK) Methods. An average Combination Factor of 1.00012 was used to scale grid coordinates and distances to surface

SHEET 6 OF 14

JOB NO.:	P-3476 FN
DATE:	10/27/2020
REVISION	THE STATE OF THE S
SCALE:	1" = 250'
FIELD:	A.R.M
DRAWN:	T.R.M.
CHECKED:	J.B.W.

PEISER & MANKIN SURVEYING, LLC

www.peisersurveying.com

1604 HART STREET SOUTHLAKE, TEXAS 76092 817-481-1806 (0)

tmankin@peisersurveying.com

TIMOTHY R. MANKIN Registered Professional Land Surveyor No. 6122 FIRM No. 100999-00



COMMERCIAL BOUNDARIES

 RESIDENTIAL · TOPOGRAPHY MORTGAGE

LLC

Ms

The undersigned, Registered Professional Land Surveyor, hereby certifies that this plat of survey accurately sets out the metes and bounds of the easement tract described.

FIELD NOTES DESCRIBING 3,564,169 SQ. FT. [81.822 ACRES] Exhibit A LAND TO BE ACQUIRED IN CITY BLOCKS 6911, 5993 AND 6632 FROM WOODY BRANCH I-35, LLC

PROPERTY IDENTIFICATION LEGEND

TRACT I WOODY BRANCH I-35, LLC D1 INST. NO. 201500247524 O.P.R.D.C.T.

TRACT II WOODY BRANCH 1-35, LLC **D2** INST. NO. 201500247524 O.P.R.D.C.T.

D3

D5

REMAINDER OF TRACT 3 CORINTH I-35 & LEDBETTER, LLC INST. NO. 20070178877 O.P.R.D.C.T.

TRACT I WOODY BRANCH I-35, LLC **D4** INST. NO. 201700303727 O.P.R.D.C.T.

> TRACT II WOODY BRANCH I-35, LLC INST. NO. 201700303727 O.P.R.D.C.T.

ADJOINER DEED IDENTIFICATION LEGEND

JOSE RAMON REYES A1 VOL. 2003197, PG. 7363 D.R.D.C.T.

GERARDO MAYELA MOLINA JIMENEZ TRACT 2 A2

INST. NO. 201900329757 O.P.R.D.C.T.

GERARDO MAYELA MOLINA JIMENEZ A3 TRACT 1

INST. NO. 201900329757 O.P.R.D.C.T.

TRACT I

JOSE PEREZ AND THERESA PEREZ A4 VOL. 98151, PG. 4595 D.R.D.C.T.

TRACT II JOSE PEREZ AND THERESA PEREZ A5 VOL. 98151, PG. 4595 D.R.D.C.T.

> BLOCK D/6633 OPEN SPACE "A" VOL. 2005074, PG. 14 D.R.D.C.T.

SPRINGFIELD PROPERTIES, LLC A7 INST. NO. 201900131279 O.P.R.D.C.T.

1" = 250'

A.R.M..

T.R.M.

J.B.W.

PLAT IDENTIFICATION LEGEND

P14

BLOCK 6632 P1 SUBDIVISION PART OF BLOCK 6632 VOL. 161, PG. 2073 M.R.D.C.T.

LOT 1-D, BLOCK 6632 P2 PAUL F. MARTINSON SUBDIVISION VOL. 34, PG. 129 M.R.D.C.T.

LOT 2-D, BLOCK 6632 P3 PAUL F. MARTINSON SUBDIVISION VOL. 34, PG. 129 M.R.D.C.T.

VILLA DEL MAR ESTATES P4 VOL. 2005074, PG. 14 D.R.D.C.T.

BLOCK 1/6634 BECKLEY HEIGHTS P5 VOL. 9, PG. 293 M.R.D.C.T.

BLOCK 9/6909 WOODLAND CANYON P6 7TH SECTION VOL. 67210, PG. 1062 D.R.D.C.T.

BLOCK 12/6909 WOODLAND CANYON P7 7TH SECTION VOL. 67210, PG. 1062 D.R.D.C.T.

LOT 27, BLOCK 12/6909 WOODLAND CANYON P8 12TH SECTION VOL. 69239, PG. 2060 D.R.D.C.T.

BLOCK 32/6911 GLEN OAKS ADDITION NO. 10 P9 VOL. 46, PG. 111 M.R.D.C.T.

BLOCK 32/6911 GLEN OAKS ADDITION NO. 13 P10 VOL. 189, PG. 1984 M.R.D.C.T.

BLOCK 32/6911 GLEN OAKS ADDITION NO. 14 P11 VOL. 48, PG. 79 M.R.D.C.T.

LOT 32, BLOCK 32/6911 GLEN OAKS NO. 14 REVISED P12 VOL. 68025, PG. 881 D.R.D.C.T.

LOT 5, BLOCK 10/5993 SWBT GREEN RIDGE ADDITION VOL. 93191, PG. 7014 P13 D.R.D.C.T.

LOT 7, BLOCK 10/5993 GLEN OAKS CENTER ADDITION INST. NO. 201400292029 O.P.R.D.C.T.

SHEET 7 OF 14

PEISER & MANKIN SURVEYING, LLC

TIMOTHY R. MANKIN
Registered Professional Land Surveyor No. 6122

JOB NO .: P-3476 FN DATE: 10/27/2020 REVISION

A6

SCALE:

FIELD:

DRAWN:

CHECKED:

www.peisersurveying.com

1604 HART STREET SOUTHLAKE, TEXAS 76092 817-481-1806 (0)

tmankin@peisersurveying.com



LLC COMMERCIAL RESIDENTIAL · TOPOGRAPHY BOUNDARIES

MORTGAGE

Ms

COMMERCIAL

BOUNDARIES


Member Since 1977

RESIDENTIAL

TOPOGRAPHY

MORTGAGE

FIELD NOTES DESCRIBING 3,564,169 SQ. FT. [81.822 ACRES] LAND TO BE ACQUIRED IN CITY BLOCKS 6911, 5993 AND 6632 FROM WOODY BRANCH I-35, LLC



FIELD:

DRAWN:

CHECKED:


A.R.M..

T.R.M.


J.B.W.

817-481-1806 (0)

tmankin@peisersurveying.com



FIELD NOTES DESCRIBING 3,564,169 SQ. FT. [81.822 ACRES] LAND TO BE ACQUIRED IN CITY BLOCKS 6911, 5993 AND 6632 FROM WOODY BRANCH I-35, LLC



SEE SHEET 11 OF 14 FOR LINE AND CURVE TABLE

SEE SHEET 7 OF 14 FOR PROPERTY, ADJOINER DEED AND PLAT LEGENDS

GRAPHIC SCALE (IN FEET)

1 inch = 250 ft.

TIMOTHY R. MANKIN
Registered Professional Land Surveyor No. 6122

JOB NO .:

SHEET 10 OF 14

P-3476 FN DATE: 10/27/2020 REVISION

SCALE: 1" = 250'FIELD: A.R.M.. DRAWN: T.R.M. CHECKED:

J.B.W.

PEISER & MANKIN SURVEYING, LLC

www.peisersurveying.com

1604 HART STREET SOUTHLAKE, TEXAS 76092 817-481-1806 (0)

tmankin@peisersurveying.com




MS LLC COMMERCIAL

RESIDENTIAL BOUNDARIES TOPOGRAPHY MORTGAGE

FIELD NOTES DESCRIBING 3,564,169 SQ. FT. [81.822 ACRES] LAND TO BE ACQUIRED IN CITY BLOCKS 6911, 5993 AND 6632 FROM WOODY BRANCH I-35, LLC

Exhibit A



RADIUS ARC LENGTH CHORD LENGTH CHORD BEARING DELTA ANGLE 243.12' 44.57' 44.51' N 60'31'35" E 10'30'17" 50.00' 219.00' 81.44' N 50'03'09" E 250'57'06" C2 C3 215.00' 55.28' 100.00' 37.72' 115.00' 76.30' N 33'11'44" E N 27'35'50" E N 35'47'50" E 55.13 14'43'56 21°36′50" C4 37.50 C5 74.91 38'00'56

SEE SHEET 7 OF 14 FOR PROPERTY, ADJOINER DEED AND PLAT LEGENDS


L	~
Z	=
天	1.1
2	ũ
~	I
***	(V)

LINE	BEARING	DISTANCE
L1	S 00'57'52" W	60.00
L2	N 36'40'08" W	182.32
L3	N 34'34'58" W	50.00
L4	N 35'48'48" W	5.15
L5	N 10.52'44" W	7.08
L6	N 56'39'32" E	91.15
L7	N 41°29'32" E	87.90'
L8	N 3316'28" W	161.90
L9	N 61°02'32" E	130.10
L10	N 19'36'32" E	184.50
L11	N 85*19'32" E	109.18
L12	N 39'35'32" E	162.95
L13	N 57°38'32" E	80.71
L14	N 81'11'32" E	195.98
L15	N 17'39'48" E	154.10
L16	N 58°12'48" E	173.60

LINE	BEARING	DISTANCE
L17	S 88'22'51" E	197.68
L18	S 01"11'49" E	194.32'
L19	S 36'03'24" E	62.09
L20	N 51'26'48" E	146.13
L21	S 56'29'12" E	198.10'
L22	N 74'34'48" E	145.00
L23	S 45'08'12" E	115.50
L24	S 87'27'12" E	116.00'
L25	S 55'31'28" W	73.01
L26	N 40'33'44" E	132.43
L27	N 33°14'35" E	99.87
L28	N 38°24'20" E	183.54
L29	N 25*49'44" E	218.33
L30	N 16.47'20" E	122.31
L31	N 54°48'20" E	241.17
L32	N 34°54'47" W	136.41

LINE	BEARING	DISTANCE
L33	S 55'24'23" W	8.10
L34	N 42°51'14" E	73.84
L35		83.08'
L36		83.74
L37	N 58'57'32" E	99.23
L38	N 70'44'32" E	88.18
L39	N 06'02'28" W	61.70
L40	N 44'20'28" W	153.12'
L41	N 31'10'32" E	124.95





(IN FEET) 1 inch = 250 ft.

SHEET 11 OF 14

JOB NO .:

REVISION

DATE:

DEICED	0 .	NA /	ALIZIA
PEISER	\propto	IVI	HINNIN
SURVE	MY	IC	110

www.peisersurveying.com

1604 HART STREET SOUTHLAKE, TEXAS 76092 817-481-1806 (0)

tmankin@peisersurveying.com



TIMOTHY R. MANKIN
Registered Professional Land Surveyor No. 6122 FIRM No. 100999-00



COMMERCIAL RESIDENTIAL BOUNDARIES TOPOGRAPHY MORTGAGE


Member Since 1977


SCALE: 1'' = 250'FIELD: A.R.M.. DRAWN: T.R.M. CHECKED: J.B.W.

P-3476 FN

10/27/2020

FIELD NOTES DESCRIBING 3,564,169 SQ. FT. [81.822 ACRES]
LAND TO BE ACQUIRED IN CITY BLOCKS 6911, 5993 AND 6632
FROM WOODY BRANCH I-35, LLC






LOCATOR MAP

Exhibit A

LOCATOR MAP N.T.S.



SHEET 14 OF 14

JOB NO.: P-3476 FN

DATE: 10/27/2020

REVISION

SCALE: 1" = 250'

FIELD: A.R.M..

DRAWN: T.R.M.

CHECKED: J.B.W.

PEISER & MANKIN SURVEYING, LLC

TIMOTHY R. MANKIN
Registered Professional Land Surveyor No. 6122
FIRM No. 100999-00

www.peisersurveying.com

1604 HART STREET SOUTHLAKE, TEXAS 76092 817—481—1806 (0)

tmankin@peisersurveying.com



PMS CO

COMMERCIAL • RESIDENTIAL BOUNDARIES • TOPOGRAPHY MORTGAGE