



### Legislation Details (With Text)

**File #:** 22-2764      **Version:** 1      **Name:**

**Type:** ZONING CASES - INDIVIDUAL      **Status:** Hearing Closed; CPC Recommendation Followed

**File created:** 11/14/2022      **In control:** Department of Planning and Urban Design

**On agenda:** 12/14/2022      **Final action:**

**Title:** A public hearing to receive comments regarding an application for and an ordinance granting a Specific Use Permit for a public school other than an open enrollment charter school on property zoned an R-10(A) Single Family District, on the west line of Sonnet Drive, between Flair Drive and Dartmoor Drive  
 Recommendation of Staff: Approval for a 20-year period with eligibility for automatic renewals for additional 20-year periods, subject to a revised site plan, a traffic management plan, and staff's recommended conditions  
 Recommendation of CPC: Approval for a 15-year period, subject to a revised site plan, a traffic management plan and staff's recommended conditions  
 Z212-228(JA)

**Sponsors:**

**Indexes:** 13

**Code sections:**

**Attachments:** 1. Case Report

Date	Ver.	Action By	Action	Result
------	------	-----------	--------	--------

**STRATEGIC PRIORITY:** Economic Development

**AGENDA DATE:** December 14, 2022

**COUNCIL DISTRICT(S):** 13

**DEPARTMENT:** Department of Planning and Urban Design

**EXECUTIVE:** Majed Al-Ghafry

**SUBJECT**

A public hearing to receive comments regarding an application for and an ordinance granting a Specific Use Permit for a public school other than an open enrollment charter school on property zoned an R-10(A) Single Family District, on the west line of Sonnet Drive, between Flair Drive and Dartmoor Drive  
Recommendation of Staff: Approval for a 20-year period with eligibility for automatic renewals for additional 20-year periods, subject to a revised site plan, a traffic management plan, and staff's recommended conditions  
Recommendation of CPC: Approval for a 15-year period, subject to a revised site plan, a traffic management plan and staff's recommended conditions  
Z212-228(JA)

