



Legislation Details

**File #:** 20-2276      **Version:** 1      **Name:**

**Type:** ZONING CASES -      **Status:** Hearing Closed; CPC Recommendation Followed  
INDIVIDUAL

**File created:** 11/6/2020      **In control:** Department of Sustainable Development and  
Construction

**On agenda:** 12/9/2020      **Final action:** 12/9/2020

**Title:** A public hearing to receive comments regarding an application for and an ordinance granting a D-1 Liquor Control Overlay and an ordinance granting a Specific Use Permit for the sale of alcoholic beverages in conjunction with a general merchandise or food store greater than 3,500 square feet, on property zoned a CR Commercial Retail District with a D Liquor Control Overlay, Specific Use Permit No. 1718 for a tower/antenna for cellular communication, on the west line of Midway Road, north of West Northwest Highway  
Recommendation of Staff: Approval of a D-1 Liquor Control Overlay; and approval of a Specific Use Permit for a two-year period with eligibility for automatic renewals for additional five-year periods, subject to a site plan and conditions  
Recommendation of CPC: Approval of a D-1 Liquor Control Overlay; and approval of a Specific Use Permit for a two-year period with eligibility for automatic renewals for additional three-year periods, subject to a site plan and conditions  
Z190-247(AU)

**Sponsors:**

**Indexes:** 6

**Code sections:**

**Attachments:** 1. Case Report

Date	Ver.	Action By	Action	Result
------	------	-----------	--------	--------