



Legislation Details

File #:	20-2276	Version:	1	Name:	
Type:	ZONING CASES - INDIVIDUAL	Status:		Hearing Closed	
File created:	11/6/2020	In control:		Department of Sustainable Development and Construction	
On agenda:	12/9/2020	Final action:		12/9/2020	
Title:	<p>A public hearing to receive comments regarding an application for and an ordinance granting a D-1 Liquor Control Overlay and an ordinance granting a Specific Use Permit for the sale of alcoholic beverages in conjunction with a general merchandise or food store greater than 3,500 square feet, on property zoned a CR Commercial Retail District with a D Liquor Control Overlay, Specific Use Permit No. 1718 for a tower/antenna for cellular communication, on the west line of Midway Road, north of West Northwest Highway</p> <p>Recommendation of Staff: Approval of a D-1 Liquor Control Overlay; and approval of a Specific Use Permit for a two-year period with eligibility for automatic renewals for additional five-year periods, subject to a site plan and conditions</p> <p>Recommendation of CPC: Approval of a D-1 Liquor Control Overlay; and approval of a Specific Use Permit for a two-year period with eligibility for automatic renewals for additional three-year periods, subject to a site plan and conditions</p> <p>Z190-247(AU)</p>				
Sponsors:					
Indexes:	6				
Code sections:					
Attachments:	1. Case Report				

Date	Ver.	Action By	Action	Result
------	------	-----------	--------	--------