



## Legislation Details (With Text)

**File #:** 21-1328      **Version:** 1      **Name:**

**Type:** ZONING CASES - CONSENT      **Status:** Hearing Closed; CPC Recommendation Followed

**File created:** 7/16/2021      **In control:** Department of Sustainable Development and Construction

**On agenda:** 8/11/2021      **Final action:**

**Title:** A public hearing to receive comments regarding an application for and an ordinance granting the renewal of Specific Use Permit No. 2219 for the sale of alcoholic beverages in conjunction with a restaurant without drive-in or drive-through service on property zoned Subarea 1 within Planned Development District No. 366, the Buckner Boulevard Special Purpose District with a D-1 Liquor Control Overlay, on the east side of South Buckner Boulevard, between Scyene Road and Bearden Lane  
Recommendation of Staff and CPC: Approval for a five-year period with eligibility for automatic renewals for additional five-year periods, subject to conditions  
Z201-219(OA)

**Sponsors:**

**Indexes:** 5

**Code sections:**

**Attachments:** 1. Case Report

Date	Ver.	Action By	Action	Result
------	------	-----------	--------	--------

**STRATEGIC PRIORITY:** Economic and Neighborhood Vitality

**AGENDA DATE:** August 11, 2021

**COUNCIL DISTRICT(S):** 5

**DEPARTMENT:** Department of Sustainable Development and Construction

**EXECUTIVE:** Dr. Eric A. Johnson

### SUBJECT

A public hearing to receive comments regarding an application for and an ordinance granting the renewal of Specific Use Permit No. 2219 for the sale of alcoholic beverages in conjunction with a restaurant without drive-in or drive-through service on property zoned Subarea 1 within Planned Development District No. 366, the Buckner Boulevard Special Purpose District with a D-1 Liquor Control Overlay, on the east side of South Buckner Boulevard, between Scyene Road and Bearden Lane  
Recommendation of Staff and CPC: Approval for a five-year period with eligibility for automatic renewals for additional five-year periods, subject to conditions  
Z201-219(OA)