

City of Dallas

1500 Marilla Street Council Chambers, 6th Floor Dallas, Texas 75201

Legislation Details (With Text)

File #: 22-2761 Version: 1 Name:

Type: ZONING CASES - Status: Hearing Closed; CPC Recommendation Followed

INDIVIDUAL

File created: 11/14/2022 In control: Department of Planning and Urban Design

On agenda: 12/14/2022 Final action:

Title: A public hearing to receive comments regarding an application for and an ordinance granting a

Specific Use Permit for the sale of alcoholic beverages in conjunction with a general merchandise or food store 3,500 square feet or less on property zoned a CR Community Retail District with D-1 Liquor Control Overlay, on the north side of Lake June Road at the terminus of McElree Street, east of Oak

Hill Circle

Recommendation of Staff: Approval for a five-year period with eligibility for automatic renewals for

additional five-year periods, subject to a site plan and conditions

Recommendation of CPC: Approval for a one-year period, subject to a site plan and conditions

Z212-222(JM)

Sponsors:

Indexes: 5

Code sections:

Attachments: 1. Case Report

Date Ver. Action By Action Result

STRATEGIC PRIORITY: Economic Development

AGENDA DATE: December 14, 2022

COUNCIL DISTRICT(S): 5

DEPARTMENT: Department of Planning and Urban Design

EXECUTIVE: Majed Al-Ghafry

SUBJECT

A public hearing to receive comments regarding an application for and an ordinance granting a Specific Use Permit for the sale of alcoholic beverages in conjunction with a general merchandise or food store 3,500 square feet or less on property zoned a CR Community Retail District with D-1 Liquor Control Overlay, on the north side of Lake June Road at the terminus of McElree Street, east of Oak Hill Circle

<u>Recommendation of Staff</u>: <u>Approval</u> for a five-year period with eligibility for automatic renewals for additional five-year periods, subject to a site plan and conditions

<u>Recommendation of CPC</u>: <u>Approval</u> for a one-year period, subject to a site plan and conditions Z212-222(JM)