



## Legislation Details (With Text)

**File #:** 24-792      **Version:** 1      **Name:**

**Type:** ZONING CASES - CONSENT      **Status:** Hearing Closed; CPC Recommendation Followed

**File created:** 2/26/2024      **In control:** Department of Planning and Urban Design

**On agenda:** 3/27/2024      **Final action:**

**Title:** A public hearing to receive comments regarding an application for and an ordinance granting a Specific Use Permit for the sale of alcoholic beverages in conjunction with a general merchandise or food store 3,500 square feet or less on property zoned Subarea 2 within Planned Development District No. 366, the Buckner Boulevard Special Purpose District, with a D-1 Liquor Control Overlay, on the northeast corner of South Buckner Boulevard and Lake June Road  
Recommendation of Staff: Approval for a two-year period, subject to a site plan and conditions  
Recommendation of CPC: Approval for a two-year period, subject to a site plan and conditions  
Z223-322(WK)

**Sponsors:**

**Indexes:** 5

**Code sections:**

**Attachments:** 1. Case Report

Date	Ver.	Action By	Action	Result
------	------	-----------	--------	--------

**STRATEGIC PRIORITY:** Economic Development

**AGENDA DATE:** March 27, 2024

**COUNCIL DISTRICT(S):** 5

**DEPARTMENT:** Department of Planning and Urban Design

**EXECUTIVE:** Majed Al-Ghafry

### SUBJECT

A public hearing to receive comments regarding an application for and an ordinance granting a Specific Use Permit for the sale of alcoholic beverages in conjunction with a general merchandise or food store 3,500 square feet or less on property zoned Subarea 2 within Planned Development District No. 366, the Buckner Boulevard Special Purpose District, with a D-1 Liquor Control Overlay, on the northeast corner of South Buckner Boulevard and Lake June Road  
Recommendation of Staff: Approval for a two-year period, subject to a site plan and conditions  
Recommendation of CPC: Approval for a two-year period, subject to a site plan and conditions  
Z223-322(WK)